

Hacco, Inc. 110 Hopkins Drive Randolph, WI 53956 (920) 326-2461 (Registration Office) (920) 326-5141

(Manufacturing Location)

In Case of Emergency, Call 1-800-498-5743 (for medical emergencies - U. S.) 1-800-424-9300 (CHEMTREC)

### 1. PRODUCT IDENTIFICATION

Product Name: Zinc Phosphide 82 Technical

Signal Word: CAUTION

Active Ingredient (%): Zinc Phosphide (82.0%) CAS No.: 1314-84-7

Chemical Name: trizinc diphosphide

Chemical Class: An inorganic compound.

Registration Number: 25204

Section(s) Revised: Annual Review

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Material OSHA ACGIH Other NTP/IARC/OSHA PEL TLV Other Carcinogen

Zinc Phosphide (82.0%) Not Established Not Established No Established No

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### 3. HAZARDS IDENTIFICATION

#### Symptoms of Acute Exposure

Irritating to the eyes and skin. Prolonged exposure to zinc phosphide fumes may cause eye irritation and conjunctivitis, i.e. redness, discharge and/or swelling in eyes. Exposure may cause nausea, vomiting, abdominal cramps, chills, headache, restlessness, excitement, agitation, and dizziness. Tightness in the chest, breathing difficulty, cough, and cyanosis indicate the development of pulmonary edema. Other effect may include diarrhea, low blood pressure, change in skin color, garlic breath odor, fever, shock, tremors, fatigue, excessive perspiration, hypertension, dysrhythmia, metabolic acidosis, convulsion, and coma. Other complications may involve jaundice and liver tenderness and enlargement from liver necrosis and anuria from renal tubular injury. DEATH IS DUE TO SEVERE POISONING.

### **Hazardous Decomposition Products**

May react with acids or water to release toxic and spontaneously flammable phosphine gas. Oxides of phosphorus and zinc.

#### Physical Properties

Appearance: Dark grey crystals, lustrous or dull powder

Odor: Pungent garlic odor

## Unusual Fire, Explosion, and Reactivity Hazards

Dangerous when wet. Dangerous fire hazard and slight explosion hazard when exposed to water. Dust mixtures may ignite and/or explode. When heated to decomposition, it emits toxic fumes of phosphorus and zinc oxides (Sax 1984, Pg. 2756). Irritating oxides of phosphorus may be formed in fires (Chris, 1978). Contact with water produces flammable gas. Runoff may create fire or explosion hazard (DOT ERG 2000, Guide 139).



#### 4. FIRST AID MEASURES

Have the product container, label, or Material Safety Data Sheet with you when calling a poison control center or doctor, or going for treatment. FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL 1-800-498-5743.

Ingestion: CALL PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY! DO NOT DRINK

WATER! Do not administer anything by mouth or make the patient vomit unless advised to do so by a

physician.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for

treatment advice

Skin Contact: If on skin or clothing: Take off contaminated clothing. Wash skin with soap and water.

Inhalation: If exposed, immediately seek fresh air, assist respiration as needed and watch for signs of poisoning. If

person is not breathing call an ambulance and give artificial respiration, preferably mouth-to-mouth, if

possible.

#### Notes to Physician

There is no specific antidote. Very thorough gastric lavage usually indicated. 3-5% sodium bicarbonate gavage has been suggested. Treat supportively and symptomatically.

Irritating to the eyes and skin. Prolonged exposure to zinc phosphide fumes may cause eye irritation and conjunctivitis, i.e. redness, discharge and/or swelling in eyes. Exposure may cause nausea, vomiting, abdominal cramps, chills, headache, restlessness, excitement, agitation, and dizziness. Tightness in the chest, breathing difficulty, cough, and cyanosis indicate the development of pulmonary edema. Other effect may include diarrhea, low blood pressure, change in skin color, garlic breath odor, fever, shock, tremors, fatigue, excessive perspiration, hypertension, dysrhythmia, metabolic acidosis, convulsion, and coma. Other complications may involve jaundice and liver tenderness and enlargement from liver necrosis and anuria from renal tubular injury. DEATH IS DUE TO SEVERE POISONING.

#### Medical Condition Likely to be Aggravated by Exposure

None known.

### 5. FIRE FIGHTING MEASURES

Fire and Explosion

Flash Point (Test Method): Not Applicable

Flammable Limits (% in Air): Lower: % Not Applicable Upper: % Not Applicable

Autoignition Temperature: Not Available Flammability: Not Flammable

Extinguishing Media: Dry chemical soda ash, lime, or sand. Avoid water and foam as they may form

phosphine gas upon contact with zinc phosphide. For large fires, withdraw from area

and let burn. (DOT ERG 2000, Guide 139)

#### Hazardous Decomposition Products:

May react with acids or water to release toxic and spontaneously flammable phosphine gas. Oxides of phosphorus and zinc.

#### Unusual Fire, Explosion, and Reactivity Hazards

Dangerous when wet. Dangerous fire hazard and slight explosion hazard when exposed to water. Dust mixtures may ignite and/or explode. When heated to decomposition, it emits toxic fumes of phosphorus and zinc oxides (Sax 1984, Pg. 2756). Irritating oxides of phosphorus may be formed in fires (Chris, 1978). Contact with water produces flammable gas. Runoff may create fire or explosion hazard (DOT ERG 2000, Guide 139).

## In Case of Fire

Potentially hazardous in fire. Wear self-contained breathing apparatus. <u>If water is used as an extinguishing media, diking</u> is required to keep contaminate water out of all water supplies.



#### 6. ACCIDENTAL RELEASE MEASURES

#### In Case of Spill or Leak

Avoid bodily contact. Avoid dust. Wear protective equipment. Keep put of bodies of water and sewer. Shut off ignition sources. Do not get water on spilled material or inside container. For a small spill, carefully shovel/sweep up/vacuum and package material in clean, covered, and dry labeled containers. For larger spills, dike spill for later disposal. Cover powder spills with plastic sheet or tarp to minimize spreading. Clean up only under supervision of an expert. Keep unnecessary people away. Isolate hazard area and deny entry.

#### 7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING, AND USE OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for

exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact: Wear tight-fitting chemical goggles or safety glasses with fitted side-shields.

Skin Contact: Wear chemical resistant (such as nitrile or butyl) gloves.

Inhalation: Respiratory protection is required for normal handling. In the event of exposure, use engineering controls or

a NIOSH-approved particulate respirator (N, P, R, or HE filter) to keep exposure below the Occupational

Exposure Limit.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Dark grey crystals, lustrous or dull powder

Odor: Pungent garlic odor.

Melting Point: 420° C

Boiling Point: Not Available
Specific Gravity/Density: 4.55 @ 13° C
pH: Not Available
Solubility: Insoluble in Water
Vapor Pressure (mmg Hg):1.03 x 10<sup>-8</sup> @ 77° F
Vapor Density: 1.17 (Phosphine)

### 10. STABILTY AND REACTIVITY

Stability: Stable under normal use and storage conditions.

Hazardous Polymerization: Will not occur.
Conditions to Avoid: None known.
Materials to Avoid: None known.

Hazardous Decomposition Products: May react with acids or water to release toxic and spontaneously flammable

phosphine gas. Oxides of phosphorus and zinc.



## 11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation Studies (Finished Product)

Ingestion: <u>Toxic</u>

Oral (LD<sub>50</sub> Rat) : = 40 mg/kg body weight

Dermal: <u>Practically Non Toxic</u>

Dermal ( $LD_{50}$  Rabbit) : > 2,000 mg/kg body weight

Inhalation: Not Available

Eye Contact: See "Other Toxicity Information," Section 11 Skin Contact: See "Other Toxicity Information," Section 11

Skin Sensitization: Not Available

#### Other Toxicity Information

Irritating to the eyes and skin. Prolonged exposure to zinc phosphide fumes may cause eye irritation and conjunctivitis, i.e. redness, discharge and/or swelling in eyes. Exposure may cause nausea, vomiting, abdominal cramps, chills, headache, restlessness, excitement, agitation, and dizziness. Tightness in the chest, breathing difficulty, cough, and cyanosis indicate the development of pulmonary edema. Other effect may include diarrhea, low blood pressure, change in skin color, garlic breath odor, fever, shock, tremors, fatigue, excessive perspiration, hypertension, dysrhythmia, metabolic acidosis, convulsion, and coma. Other complications may involve jaundice and liver tenderness and enlargement from liver necrosis and anuria from renal tubular injury. DEATH IS DUE TO SEVERE POISONING.

#### 12. ECOLOGICAL INFORMATION

Do not discharge effluent containing this product directly to water. Do not contaminate water when disposing of equipment wash water.

### 13. DISPOSAL CONSIDERATIONS

#### Container Disposal

*Plastic Containers*: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. *For containers 1 gallon or less*: Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

#### Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### 14. TRANSPORT INFORMATION

**DOT Classification** 

Proper Shipping Name: RQ, Zinc Phosphide, 4.3, DANGEROUS WHEN WET, POISON, ERG Guide 139

Hazard Class: Not Applicable

UN Number: 1714 Packing Group: I

Label: DANGEROUS WHEN WET, POISON

Special Instructions: PLACARD ALL QUANTITIES.

IMDG Classification

Proper Shipping Name: RQ, Zinc Phosphide, 4.3, DANGEROUS WHEN WET, POISON, ERG Guide 139

Hazard Class: Not Applicable

UN Number: 1714 Packing Group: I

Label: DANGEROUS WHEN WET, POISON

Special Instructions: PLACARD ALL QUANTITIES.



**IATA Classification** 

Proper Shipping Name: RQ, Zinc Phosphide, 4.3, DANGEROUS WHEN WET, POISON, ERG Guide 139

Hazard Class: Not Applicable

UN Number: 1714 Packing Group: I

Label: DANGEROUS WHEN WET, POISON

Special Instructions: PLACARD ALL QUANTITIES.

**Canadian Classification** 

Proper Shipping Name: RQ, Zinc Phosphide, 4.3, DANGEROUS WHEN WET, POISON, ERG Guide 139

Hazard Class: Not Applicable

UN Number: 1714 Packing Group: I

Label: DANGEROUS WHEN WET, POISON Special Instructions: PLACARD ALL QUANTITIES.

### 15. REGULATORY INFORMATION

EPA SARA Title III Hazard Classification (For Reporting Under Sections 311 & 312)

 Immediate
 Y
 Fire
 N

 Delayed
 N
 Reactive
 Y

Sudden Release of Pressure

N

Section 313 Toxic Chemicals

Zinc Phosphide (CAS No. 1314-84-7) 82%

California Proposition 65

Not Applicable

CERLA/SARA 302 Reportable Quantity (RQ)

Zinc Phosphide (CAS No. 1314-84-7) 82% Reportable Quantity: 100 lbs.

RCRA Hazardous Waste Classification (40 CFR 261)

P122 (For concentrations of greater than 10%)

TSCA Status

Exempt from TSCA, subject to FIFRA



#### 16. OTHER INFORMATION

NFPA Hazard Ratings **HMIS Hazard Ratings** 0 - Minimal Health: Health: 1 - Slight Flammability: Flammability: 2 - Moderate 1 1 Instability: 2 Reactivity: 2 3 - Serious W 4 - Extreme

For Non-Emergency Questions About This Product Call:
1-800-621-8829
Neogen Corporation
Lexington, KY
www.Hacco.com

Original Issue Date: August 2003 Revision Date: April 1<sup>st</sup>, 2013 Replaces: November 20<sup>th</sup>, 2012

ALTHOUGH THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN (HEREINAFTER "INFORMATION") ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT, HACCO, INC., THE MANUFACTURER OR THE SELLER MAKES NO REPRESENTATIONS AS TO THE COMPLETENESS OR ACCURACY THEREOF. INFORMATION IS SUPPLIED UPON THE CONDITION THAT THE PERSONS RECEIVING IT WILL MAKE THEIR OWN DETERMINATION AS TO ITS SUITABILITY FOR THEIR PURPOSES PRIOR TO USE.

THE PRODUCT COVERED BY THIS INFORMATION SHEET IS FURNISHED "AS IS" BY HACCO, INC., THE MANUFACTURER OR THE SELLER, AND IS SUBJECT ONLY TO THE WARRANTIES, IF ANY, THAT APPEAR ON THE PRODUCT'S LABEL OR ARE OTHERWISE EXPRESSLY PROVIDED HEREIN.

EXCEPT AS EXPRESSLY PROVIDED ON THE PRODUCT'S LABEL OR OTHERWISE PROVIDED HEREIN, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, ARE MADE BY HACCO, INC., THE MANUFACTURER OR THE SELLER WITH REGARD TO THE PRODUCT OR USE OF THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.

EXCEPT AS EXPRESSLY STATED HEREIN, HACCO, INC., THE MANUFACTURER OR THE SELLER MAKES NO WARRANTY OF RESULTS TO BE OBTAINED BY USE OF THE PRODUCT COVERED BY THIS INFORMATION. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND THE TOTAL LIABILITY OF HACCO, INC., THE MANUFACTURER OR THE SELLER, SHALL BE LIMITED TO DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. NO AGENT OR EMPLOYEE OF HACCO, INC., THE MANUFACTURER OR THE SELLER IS AUTHORIZED TO AMEND THE TERMS OF THIS WARRANTY DISCLAIMER OR THE PRODUCT'S LABEL OR TO MAKE A REPRESENTATION OR RECOMMENDATION DIFFERENT FROM OR INCONSISTENT WITH THE LABEL OF THIS PRODUCT.

IN NO EVENT SHALL HACCO, INC., THE MANUFACTURER OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES AND THE BUYER AND USER WAIVE ANY RIGHT THEY MAY HAVE TO SUCH DAMAGES.