

### PARDNER® HERBICIDE

Version 4.0 / CDN Revision Date: 03/01/2023 102000023743 Print Date: 03/02/2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name PARDNER® HERBICIDE

Product code (UVP) 79933169

**SDS Number** 102000023743

PCP Registration No. 18001

Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

**Restrictions on use**See product label for restrictions.

Information on supplier

**Supplier** Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-888-283-6847

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classified in accordance with Part 2 of the Hazardous Products Regulations

Carcinogenicity: Category 2 Reproductive toxicity: Category 2

Specific target organ toxicity - single exposure: Category 3

Acute toxicity(Oral): Category 4 Flammable liquids: Category 4

#### Labelling in accordance with Part 3 of the Hazardous Products Regulations







### PARDNER® HERBICIDE

Version 4.0 / CDN 102000023743

Revision Date: 03/01/2023 Print Date: 03/02/2023

#### Signal word: Warning

#### **Hazard statements**

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May cause drowsiness or dizziness.

Harmful if swallowed. Combustible liquid.

### **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Avoid breathing mist/ spray.

Use only outdoors or in a well-ventilated area.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Keep away from open flames/hot surfaces. - No smoking.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Get medical advice/ attention.

Rinse mouth.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

Dispose of contents/container in accordance with local regulation.

### **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight
Bromoxynil octanoate	1689-99-2	19.0
Bromoxynil heptanoate	56634-95-8	18.2
Naphthalene	91-20-3	5.3
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	47.8
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt		3.0
2-Methylpropan-1-ol	78-83-1	1.3

#### **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

General advice

When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.



# **PARDNER® HERBICIDE**

Version 4.0 / CDN Revision Date: 03/01/2023 102000023743 Print Date: 03/02/2023

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** Aspiration may cause pulmonary oedema and pneumonitis.

Indication of any immediate medical attention and special treatment needed

**Risks** Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

**Unsuitable** High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Avoid contact with

spilled product or contaminated surfaces. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting

to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire



### PARDNER® HERBICIDE

Version 4.0 / CDN 102000023743 Revision Date: 03/01/2023 Print Date: 03/02/2023

Flash point 63 °C

**Auto-ignition temperature** 443 °C / 829.4 °F **Lower explosion limit** No data available

Upper explosion limit 7 %(V)

**Explosivity** Not applicable

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

**Precautions** Remove all sources of ignition. Keep unauthorized people away.

Isolate hazard area. Avoid contact with spilled product or

contaminated surfaces.

#### Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental regulations. Decontaminate tools and equipment following cleanup.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

## Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.



# **PARDNER® HERBICIDE**

Version 4.0 / CDN 102000023743

Revision Date: 03/01/2023 Print Date: 03/02/2023

### Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Bromoxynil octanoate	1689-99-2	0.21 mg/m3 (SK-SEN)		OES BCS*
Naphthalene	91-20-3	52 mg/m3/10 ppm (TWA)	07 2009	CAD AB OEL
Naphthalene	91-20-3	79 mg/m3/15 ppm (STEL)	07 2009	CAD AB OEL
Naphthalene	91-20-3	10 ppm (TWA)	09 2011	CAD BC OEL
Naphthalene	91-20-3	15 ppm (STEL)	09 2011	CAD BC OEL
Naphthalene	91-20-3	10 ppm (TWA)	03 2011	CAD MB OEL
Naphthalene	91-20-3	10 ppm (TWA)	11 2010	CAD ON OEL
Naphthalene	91-20-3	15 ppm (STEL)	11 2010	CAD ON OEL
Naphthalene	91-20-3	10 ppm (8 HR ACL)	05 2009	CAD SK OEL
Naphthalene	91-20-3	15 ppm (15 MIN ACL)	05 2009	CAD SK OEL
Naphthalene	91-20-3	79 mg/m3/15 ppm (STEL)	11 2011	OEL (QUE)
Naphthalene	91-20-3	52 mg/m3/10 ppm (TWA)	11 2011	OEL (QUE)
Naphthalene	91-20-3	10 ppm		OES BCS*



# **PARDNER® HERBICIDE**

Version 4.0 / CDN 102000023743

Revision Date: 03/01/2023 Print Date: 03/02/2023

		(TLV)		
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	06 2020	CAD BC OEL
(Non-aerosol.)				
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	01 2021	CAD MB OEL
(Non-aerosol.)				
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	01 2020	CAD ON OEL
(Non-aerosol.)				
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	250 mg/m3 (15 MIN ACL)	05 2009	CAD SK OEL
(Vapor.)	0.4740.04.5	000 / 0	05.0040	045.50
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	05 2013	CAD BC OEL
(Non-aerosol.) Solvent Naphtha	64742-94-5	200 mg/m3	11 2010	CAD ON
(petroleum), heavy aromatic	04742 34 3	(TWA)	11 2010	OEL
(Non-aerosol.)	C4740 04 5	200 2	02 204 4	CADMD
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	03 2014	CAD MB OEL
(Non-aerosol.)				
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	08 2020	CAD AB OEL
(Vapor.)				
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	525 mg/m3 (TWA)	11 2010	CAD ON OEL
2-Methylpropan-1-ol	78-83-1	152 mg/m3/50 ppm (TWA)	07 2009	CAD AB OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	09 2011	CAD BC OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	03 2011	CAD MB OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	11 2010	CAD ON OEL
2-Methylpropan-1-ol	78-83-1	60 ppm	05 2009	CAD SK



### PARDNER® HERBICIDE

Version 4.0 / CDN Revision Date: 03/01/2023 102000023743 Print Date: 03/02/2023

		(15 MIN ACL)		OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (8 HR ACL)	05 2009	CAD SK OEL
2-Methylpropan-1-ol	78-83-1	152 mg/m3/50 ppm (TWA)	11 2011	OEL (QUE)

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Form Liquid

Colourlight brownOdourcharacteristic

Odour Threshold

pH

4.3 (1 %) (25 °C)

Melting point/range

No data available

Boiling Point

No data available

Flash point 63 °C

Flammability No data available

Auto-ignition temperature 443 °C

Thermal decomposition No data available



### PARDNER® HERBICIDE

Version 4.0 / CDN Revision Date: 03/01/2023 102000023743 Print Date: 03/02/2023

Minimum ignition energy Not applicable

Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limit 7 %(V)

Lower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

**Density** ca. 1.08 g/cm³ (20 °C)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Bromoxynil octanoate: log Pow: 5.4

Bromoxynil heptanoate: log Pow: 5.9

Viscosity, dynamic 26 mPa.s (25 °C)
Viscosity, kinematic No data available
Oxidizing properties No data available
Explosivity Not applicable

**Other information** Further safety related physical-chemical data are not known.

#### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity** Stable under normal conditions.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Extremes of temperature and direct sunlight.

Heat, flames and sparks.

**Incompatible materials** Acids, Bases, Oxidizing agents

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.



### PARDNER® HERBICIDE

Version 4.0 / CDN 102000023743

Revision Date: 03/01/2023 Print Date: 03/02/2023

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Skin contact, Ingestion, Inhalation

**Immediate Effects** 

**Eye** May cause temporary eye irritation.

Skin Causes skin irritation.

Ingestion May be harmful if swallowed. Aspiration of the swallowed or vomited

product can cause severe pulmonary complications.

Inhalation Not expected to produce significant adverse effects when

recommended use instructions are followed.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) 961 mg/kg
Acute inhalation toxicity LC50 (Rat) > 5.065 mg/l

Exposure time: 4 h

highest concentration tested

Acute dermal toxicity LD50 (Rabbit) > 2,000 mg/kg
Skin corrosion/irritation Mild skin irritation. (Rabbit)

Serious eye damage/eye

irritation

Moderate eye irritation. (Rabbit)

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

#### Assessment STOT Specific target organ toxicity - single exposure

Bromoxynil octanoate: Based on available data, the classification criteria are not met. Bromoxynil heptanoate: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity – repeated exposure

Bromoxynil octanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans. Bromoxynil heptanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.

#### Assessment mutagenicity

Bromoxynil octanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Bromoxynil heptanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Bromoxynil octanoate caused at high dose levels an increased incidence of tumours in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. Bromoxynil heptanoate caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.



### PARDNER® HERBICIDE

Version 4.0 / CDN Revision Date: 03/01/2023 102000023743 Print Date: 03/02/2023

### **ACGIH**

Naphthalene 91-20-3 Group A3 Solvent Naphtha (petroleum), heavy aromatic 64742-94-5 Group A3

NTP

Naphthalene 91-20-3

**IARC** 

Naphthalene 91-20-3 Overall evaluation: 2B Solvent Naphtha (petroleum), heavy aromatic Solvent Naphtha (petroleum), heavy aromatic Solvent Naphtha (petroleum), heavy aromatic 64742-94-5 Overall evaluation: 3 Overall evaluation: 3 Overall evaluation: 3

#### **ACGIH**

None.

**NTP** 

None.

**IARC** 

None.

**OSHA** 

None.

#### Assessment toxicity to reproduction

Bromoxynil octanoate did not cause reproductive toxicity in a two-generation study in rats. Bromoxynil heptanoate did not cause reproductive toxicity in a two-generation study in rats.

### Assessment developmental toxicity

Bromoxynil octanoate caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxynil octanoate caused developmental toxicity only at dose levels toxic to the dams.

Bromoxynil heptanoate caused developmental toxicity only at dose levels toxic to the dams. Bromoxynil heptanoate caused a delayed foetal growth, an increased incidence of non-specific malformations.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l

Exposure time: 96 h



### PARDNER® HERBICIDE

Version 4.0 / CDN 102000023743

Revision Date: 03/01/2023 Print Date: 03/02/2023

The value mentioned relates to the active ingredient bromoxynil

octanoate.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient bromoxynil

heptanoate.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.046 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

EC50 (Daphnia magna (Water flea)) 0.031 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient bromoxynil

heptanoate.

Toxicity to aquatic plants EC50 (Navicula pelliculosa (Freshwater diatom)) 0.043 mg/l

Exposure time: 120 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

EC50 (Lemna gibba (gibbous duckweed)) 0.073 mg/l

The value mentioned relates to the active ingredient bromoxynil

octanoate.

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.083 mg/l

Exposure time: 120 h

The value mentioned relates to the active ingredient bromoxynil

heptanoate.

**Biodegradability** Bromoxynil octanoate:

Not rapidly biodegradable Bromoxynil heptanoate: Not rapidly biodegradable

. ,

Koc Bromoxynil octanoate: Koc: 639
Bromoxynil heptanoate: Koc: ca. 600

Bromoxynil octanoate: Bioconcentration factor (BCF) 230

Does not bioaccumulate. Bromoxynil heptanoate: Does not bioaccumulate.

**Mobility in soil** Bromoxynil octanoate: Slightly mobile in soils

Bromoxynil heptanoate: Slightly mobile in soils

Results of PBT and vPvB assessment

**Bioaccumulation** 

PBT and vPvB assessment Bromoxynil octanoate: This substance is not considered to be

persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Bromoxynil heptanoate: This substance is not considered to be



### PARDNER® HERBICIDE

Version 4.0 / CDN Revision Date: 03/01/2023 102000023743 Print Date: 03/02/2023

persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**Environmental precautions** Do not allow to get into surface water, drains and ground water.

Do not apply when weather conditions favor runoff or drift. Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Drift or runoff from treated areas may adversely affect non-target plants. Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

#### **SECTION 14: TRANSPORT INFORMATION**

**TDG** 

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BROMOXYNIL)

49CFR

UN number 3082
Class 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S.

(BROMOXYNIL, NAPHTHALENE)

RQ Reportable Quantity is reached with 1,886 lb of product.

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES



### PARDNER® HERBICIDE

Version 4.0 / CDN Revision Date: 03/01/2023 102000023743 Print Date: 03/02/2023

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BROMOXYNIL SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BROMOXYNIL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

#### **SECTION 15: REGULATORY INFORMATION**

PCP Registration No. 18001

#### **PMRA Information:**

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Signal word: Warning!

Hazard statements: Poison.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.



# **PARDNER® HERBICIDE**

Version 4.0 / CDN Revision Date: 03/01/2023 102000023743 Print Date: 03/02/2023

#### **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

#### NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 2 Instability - 0 Others - none

### HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 1\* Flammability - 2 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

\* = chronic health hazard

**Reason for Revision:** The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological Information. Section 15: Regulatory information. Section 16: Other Information. Reviewed and updated for general editorial purposes.

**Revision Date:** 03/01/2023

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.