


Printing date 01/30/2025

Reviewed on 01/30/2025



Printing date 01/30/2025

Reviewed on 01/30/2025

Trade name: PHOENIX SC HERBICIDE

· Hazard description: KEEP OUT OF REACH OF CHILDREN

3 Composition/Information on ingredients

• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 57-55-6 Propylene glycol

Acute Toxicity (Oral) - Category 4, H302

10-15% w/w

4 First-aid measures

· Description of first aid measures

General information:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

You may also contact 1-888-478-0798 for emergency medical treatment information.

• After inhalation:

- Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-tomouth if possible.
 - Call poison control center or doctor for further treatment advice.
- After skin contact:
- Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.

· After eye contact:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
 - Call a poison control center or doctor for treatment advice.
- After swallowing:

• Call a poison control center or doctor immediately for treatment advice.

- Have affected person sip a glass of water if able to swallow.
- Do not induce vomiting unless told by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

- · Indication of any immediate medical attention and special treatment needed
- There is no specific antidote for this product. Treat symptomatically.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

• Special hazards arising from the substance or mixture

May decompose under fire conditions emitting gases and vapors such as nitrous vapors, oxides of sulfur and carbon monoxide, which may be toxic and irritating to the respiratory tract.

(Contd. on page 3)

CA/EN

(Contd. of page 1)

nent. nay also contact 1-888-478-0798 f

Printing date 01/30/2025

Reviewed on 01/30/2025

Trade name: PHOENIX SC HERBICIDE

During heating or in case of fire poisonous gases are produced.

• Advice for firefighters

• Protective equipment:

Wear fully protective suit. Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.* • *Environmental precautions:*

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

• Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Dispose contaminated material as waste according to item 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before use.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one common storage facility: Keep away from food, drink and feed.

Further information about storage conditions: Keep only in the original container.

· Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Exposure controls

- Personal protective equipment:
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.


(Contd. on page 4)

(Contd. of page 2)

Printing date 01/30/2025

Reviewed on 01/30/2025

Trade name: PHOENIX SC HERBICIDE



CA/EN

Printing date 01/30/2025

Reviewed on 01/30/2025

Trade name: PHOENIX SC HERBICIDE

	(Co	ontd. of page
· Flammability:	Not applicable.	
• Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
· Lower:	2.6 Vol %	
· Upper:	12.6 Vol %	
· Vapor pressure at 20 °C (68 °F):	0.1 hPa (Acitve ingredient)	
• Density at 20 °C (68 °F):	1.131 g/cm ³ (9.4382 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· Water:	Dispersible.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
· Kinematic:	Not determined.	
· Solvent content:		
• Organic solvents:	10-15 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions of use
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid Avoid contact with heat or open flame.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

May decompose under fire conditions to release vapors or gases which are toxic and irritating to the respiratory tract.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

		that are relevant for classification:
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat) >2,000 mg/kg (rat) >78.11 mg/l (rat)
Inhalative	LC50/4 h	>78.11 mg/l (rat)

(Contd. on page 6)

Printing date 01/30/2025

Reviewed on 01/30/2025

Trade name: PHOENIX SC HERBICIDE

(Contd. of page 5)

CAS: 57-5	5-6 Propyl	ene glycol
	LD50	2,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

- · Germ cell mutagenicity No evidence of mutagenicity.
- · Carcinogenicity Tests on mice and rats exposed to tiafenacil showed no potential for carcinogenicity.
- · Reproductive toxicity
- A two-generation study on rats with tiafenacil showed no evidence of reproductive toxicity at dietary doses of up to 1000 ppm (up to 90 mg/kg bw/day).
- Specific target organ toxicity single exposure

Ocular opacity was observed in rats and dogs exposed to tiafenacil at levels ranging from 50 - 2000 ppm. Systemic effects to liver and kidneys were seen at extremely high doses of 2000 ppm or greater. • Aspiration hazard Not available.

12 Ecological information

• *Toxicity Tiafenacil is practically non-toxic to birds, fish and aquatic invertebrates.* • *Aquatic toxicity:* No further relevant information available.

Persistence and degradability

Tiafenacil degrades rapidly in soil, with half-life values ranging from 2-67 days in field conditions. Hydrolysis is dependent on pH, with increasing pH causing faster degradation. Hydrolysis (a) $25 - 35^{\circ}$ C: DT50 = stable (a) pH 4, 20.5 days (a) pH 7, 5.1 days (a) pH 9.

Behavior in environmental systems:

• **Bioaccumulative potential** The potential for tiafenacil to bioaccumulate is extremely low (Log Pow = 2.0). • **Mobility in soil**

Tiafenacil shows moderate to high mobility in various soils under laboratory conditions, but field dissipation studies show limited downward movement (no more than 6 inches) through soil leaching.

• Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 01/30/2025

Reviewed on 01/30/2025

Trade name: PHOENIX SC HERBICIDE

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

For information on disposal of unused, unwanted product, contact the distributor or the provincial regulatory agency. Contact the distributor and the provincial regulatory agency in case of a spill, and for clean-up of spills.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation:

DO NOT reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.

2. Make the empty, rinsed container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
JN-Number • DOT/TDG, ADR, IMDG, IATA	Void	
UN proper shipping name • DOT/TDG, ADR, IMDG, IATA	Void	
Fransport hazard class(es)		
· DOT/TDG, ADR, ADN, IMDG, IATA · Class	Void	
Packing group • DOT/TDG, ADR, IMDG, IATA	Void	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable	
Fransport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	f Not applicable	
UN "Model Regulation":	Void	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Marketing authorization number:

· SARA Title III

• Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Contd. on page 8)

CA/EN

Printing date 01/30/2025

Reviewed on 01/30/2025

Trade name: PHOENIX SC HERBICIDE

(Contd. of page 7)

ACTIVE

· Canadian substance listings:

• TSCA (Toxic Substances Control Act):

· Canadian Domestic Substances List (DSL)

CAS: 57-55-6 Propylene glycol

CAS: 57-55-6 Propylene glycol

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%)

CAS: 57-55-6 Propylene glycol

· GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

· Hazard statements

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· NFPA ratings (Scale 0-4)



Fire = 0*Reactivity* = 0

· Relevant phrases H302 Harmful if swallowed.

· Department issuing SDS: Supply Chain

- · Contact: sds@gowanco.com
 - \cdot Date of the latest revision of the safety data sheet 01/30/2025 / -
 - Abbreviations and acronyms:
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Printing date 01/30/2025

Reviewed on 01/30/2025

Trade name: PHOENIX SC HERBICIDE

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative (Contd. of page 8)

CA/EN