

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

### SECTION 1. IDENTIFICATION

Product name : QUADRIS TOP  
Design code : A13703O

Product Registration number : 30518

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.  
Address : 140 Research Lane, Research Park  
Guelph ON N1G 4Z3  
Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)  
Telefax : 1-519-823-0504

E-mail address :  
Emergency telephone number : 1-800-327-8633 (FAST MED)

#### Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Skin sensitisation : Category 1  
Specific target organ toxicity - repeated exposure : Category 2 (Bile duct)

#### GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.  
H317 May cause an allergic skin reaction.  
H373 May cause damage to organs (Bile duct) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P314 Get medical advice/ attention if you feel unwell.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
azoxystrobin (ISO)	azoxystrobin (ISO)	131860-33-8	18.1818
difenoconazole	difenoconazole	119446-68-3	11.3636
propane-1,2,3-triol	propane-1,2,3-triol	56-81-5	$\geq 1 - < 5$ *
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	$\geq 1 - < 5$ *
1,2-benzisothiazol-3(2H)-one	1,2-benzisothiazol-3(2H)-one	2634-33-5	$\geq 0.05 - < 0.1$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

- |   |   |   |
|---|---|---|
| General advice  | : | Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.                                      |
| If inhaled  | : | Move the victim to fresh air.<br>If breathing is irregular or stopped, administer artificial respiration.<br>Keep patient warm and at rest.<br>Call a physician or poison control centre immediately. |
| In case of skin contact                                     | : | Take off all contaminated clothing immediately.<br>Wash off immediately with plenty of water.<br>If skin irritation persists, call a physician.<br>Wash contaminated clothing before re-use.          |
| In case of eye contact                                      | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Remove contact lenses.<br>Immediate medical attention is required.  |
| If swallowed  | : | If swallowed, seek medical advice immediately and show this container or label.<br>Do NOT induce vomiting.  |
| Most important symptoms and effects, both acute and delayed | : | Nonspecific<br>No symptoms known or expected.<br>Harmful if swallowed or if inhaled.<br>May cause an allergic skin reaction.<br>May cause damage to organs through prolonged or repeated exposure.    |
| Notes to physician  | : | There is no specific antidote available.<br>Treat symptomatically.  |

## SECTION 5. FIREFIGHTING MEASURES

- |   |   |  |
|---|---|--|
| Suitable extinguishing media                  | : | Extinguishing media - small fires<br>Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.<br>Extinguishing media - large fires<br>Alcohol-resistant foam<br>or<br>Water spray                          |
| Unsuitable extinguishing media                | : | Do not use a solid water stream as it may scatter and spread fire.   |
| Specific hazards during fire-fighting         | : | As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).<br>Exposure to decomposition products may be a hazard to health. |
| Further information                           | : | Do not allow run-off from fire fighting to enter drains or water courses.<br>Cool closed containers exposed to fire with water spray.  |
| Special protective equipment for firefighters | : | Wear full protective clothing and self-contained breathing apparatus.  |

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

- |                      |   |  |
|----------------------|---|--|
| Personal precautions | : | Refer to protective measures listed in sections 7 and 8. |
|----------------------|---|--|

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
azoxystrobin (ISO)	131860-33-8	TWA	0.7 mg/m <sup>3</sup>	Syngenta
difenoconazole	119446-68-3	TWA	5 mg/m <sup>3</sup>	Syngenta
propane-1,2,3-triol	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable mist)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Suitable respiratory equipment:  
Respirator with a half face mask  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.  
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

Colour	:	beige
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	6.0 - 9.0 Concentration: 100 %w/v
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.10 - 1.14 g/cm <sup>3</sup> (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	500 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

Acute oral toxicity	:	LD50 (Mouse, male and female): 1,424 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat, male and female): 2.06 - < 5.17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations. Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

#### Components:

##### azoxystrobin (ISO):

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, female): 0.698 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

### difenoconazole:

Acute oral toxicity : LD50 (Rat, male and female): 1,453 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,300 mg/m3  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### propane-1,2,3-triol:

Acute oral toxicity : LD50 (Rat, female): > 4,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male): > 2.75 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, female): > 5,000 mg/kg

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

### Components:

#### azoxystrobin (ISO):

Species : Rabbit  
Result : No skin irritation



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

### difenoconazole:

Species	:	Rabbit
Result	:	No skin irritation

### propane-1,2,3-triol:

Species	:	Rabbit
Result	:	No skin irritation

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Species	:	reconstructed human epidermis (RhE)
Result	:	No skin irritation

### 1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Result	:	Mild skin irritation

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Product:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

### Components:

#### azoxystrobin (ISO):

Species	:	Rabbit
Result	:	No eye irritation

#### difenoconazole:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days

#### propane-1,2,3-triol:

Species	:	Rabbit
Result	:	No eye irritation

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

### 1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified due to lack of data.

#### Components:

##### azoxystrobin (ISO):

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

##### difenoconazole:

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

##### propane-1,2,3-triol:

Species	:	Guinea pig
Result	:	Not a skin sensitizer.

##### 1,2-benzisothiazol-3(2H)-one:

Result	:	Probability or evidence of skin sensitisation in humans
--------	---	---

### Germ cell mutagenicity

Not classified due to lack of data.

#### Components:

##### azoxystrobin (ISO):

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

##### difenoconazole:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

##### propane-1,2,3-triol:

Germ cell mutagenicity - Assessment	:	In vitro tests did not show mutagenic effects
-------------------------------------	---	---

##### 1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

### Carcinogenicity

Not classified due to lack of data.

#### Components:

##### azoxystrobin (ISO):

Carcinogenicity - Assess-	:	No evidence of carcinogenicity in animal studies.
---------------------------	---	---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

ment

### difenoconazole:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### propane-1,2,3-triol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

Not classified due to lack of data.

### Components:

#### azoxystrobin (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

#### difenoconazole:

Reproductive toxicity - Assessment : No toxicity to reproduction

#### propane-1,2,3-triol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

#### 1,2-benzisothiazol-3(2H)-one:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Not classified due to lack of data.

### Components:

#### difenoconazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

May cause damage to organs (Bile duct) through prolonged or repeated exposure.

### Components:

#### azoxystrobin (ISO):

Target Organs	: Bile duct
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

#### difenoconazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

### propane-1,2,3-triol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### 1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration toxicity

Not classified due to lack of data.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### azoxystrobin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.28 mg/l  
aquatic invertebrates Exposure time: 48 h

EC50 (Americamysis): 0.055 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)):  
plants 1.109 mg/l  
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):  
0.0303 mg/l  
End point: Growth rate  
Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.250 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.010 mg/l  
End point: Growth rate  
Exposure time: 72 h

Toxicity to fish (Chronic tox- : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l  
icity) Exposure time: 28 d

EC10 (Pimephales promelas (fathead minnow)): 0.2197 mg/l  
Exposure time: 33 d

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.044 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity)

NOEC (Americamysis): 0.00954 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

Exposure time: 28 d

Toxicity to microorganisms : IC50 (*Pseudomonas putida*): > 3.2 mg/l  
Exposure time: 6 h

### **difenoconazole:**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 1.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.77 mg/l  
Exposure time: 48 h

EC50 (*Americamysis*): 0.15 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC10 (*Navicula pelliculosa* (Freshwater diatom)): 0.0697 mg/l  
End point: Growth rate  
Exposure time: 72 h

ErC50 (*Desmodesmus subspicatus* (green algae)): 0.0876 mg/l  
Exposure time: 72 h

EC10 (*Desmodesmus subspicatus* (green algae)): 0.015 mg/l  
End point: Growth rate  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : EC10 (*Pimephales promelas* (fathead minnow)): 0.01298 mg/l  
Exposure time: 34 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (*Daphnia magna* (Water flea)): 0.0078 mg/l  
Exposure time: 21 d

EC10 (*Americamysis*): 0.00572 mg/l  
Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

### **1,2-benzisothiazol-3(2H)-one:**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 2.18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2.94 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 0.15 mg/l  
Exposure time: 72 h

EC10 (*Raphidocelis subcapitata* (freshwater green alga)): 0.04 mg/l  
End point: Growth rate  
Exposure time: 72 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.3 mg/l  
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia (water flea)): 1.7 mg/l  
Exposure time: 21 d

### Persistence and degradability

#### Components:

##### **azoxystrobin (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 224 d  
Remarks: Persistent in water.

##### **difenoconazole:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 1 d  
Remarks: Product is not persistent.

### **Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Biodegradability : Result: Not readily biodegradable.

##### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly degradable

### Bioaccumulative potential

#### Components:

##### **azoxystrobin (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

##### **difenoconazole:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.4 (25 °C)

##### **1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### Mobility in soil

#### Components:

##### **azoxystrobin (ISO):**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

Distribution among environmental compartments : Remarks: Low mobility in soil.  
Stability in soil : Dissipation time: 81.3 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### **difenoconazole:**

Distribution among environmental compartments : Remarks: Slightly mobile in soils  
Stability in soil : Dissipation time: 122 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### **Other adverse effects**

### **Components:**

#### **azoxystrobin (ISO):**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

#### **difenoconazole:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

#### **1,2-benzisothiazol-3(2H)-one:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Refer to the product label for specific disposal/recycling information  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Refer to the product label for specific disposal/recycling information  
Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN, DIFENOCONAZOLE)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

##### IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (AZOXYSTROBIN, DIFENOCONAZOLE)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

##### IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN, DIFENOCONAZOLE)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### TDG



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN, DIFENOCONAZOLE)
Class	:	9
Packing group	:	III
Labels	:	9
ERG Code	:	171
Marine pollutant	:	yes
Remarks	:	Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle. 1.45.1. SOR/2008-34

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Warning, contains the allergen 1,2-benzisothiazolin-3-one and 2-bromo-2-nitropropane-1,3-diol

Caution

Skull and crossbones

poison

Eye irritant

Potential skin sensitiser

<b>Canadian PBT Chemicals</b>	:	This product contains the following components on the DSL that are classified as Persistent, Bioaccumulative and/or Toxic (PBT) under CEPA: octamethylcyclotetrasiloxane [D4]Cyclopentasiloxane, 2,2,4,4,6,6,8,8,10,10-decamethyl-
<b>NPRI Components</b>	:	toluene methanol n-heptane

### The components of this product are reported in the following inventories:

DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. azoxystrobin (ISO)  difenoconazole  Oxirane, 2-methyl-, polymer with oxirane
-----	---	---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
Syngenta	:	Syngenta Occupational Exposure Limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWAEV	:	Time-weighted average exposure value
Syngenta / TWA	:	Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	04/30/2024
Date format	:	mm/dd/yyyy

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## QUADRIS TOP

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2022
2.0	04/30/2024	S00031037376	Date of first issue: 01/18/2022

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN