



# 13% CALCIUM CALSTIK™

**NET CONTENT**  
**27 Kilograms**  
**(20 Liters)**

**GARANTEED MINIMUM ANALYSIS**  
**Calcium (Ca) 13%**

## GENERAL INFORMATION

**CALSTIK™ 13% Calcium** is available to plants through the foliage and is recommended on all Calcium deficient crops.

- All residue left in the can is water soluble. Rinse the container and add the solution to the sprayer.

## FOLIAR TREATMENTS

For best results, treat early in the season. Treat the crop when actively growing, early in the morning, late in the day or during overcast periods. Used between 200 L and 500 L of water per ha. With Ultra Low Volume (U.L.V.) sprayers, use at least 50 L of water/ha. If the spray solution is too concentrated, slight injury to the leaves could occur. For aerial applications, do not use more than one (1) L of this product for every four (4) L of water.

## RATE OF APPLICATION

### Fruit trees

6 L/ha every 7 to 10 days, starting 10 days after Calyx until harvest.

### Raspberries and strawberries

5 L/ha every 7 days, starting at first signs of fruit coloring until the end of harvest.  
This treatment will greatly improve shelf life and fruit firmness.

### Broccoli and cauliflower

3 L/ha every 7 days from the beginning of head formation until harvest, specially during fast growth periods following hot and dry conditions.

### Cabbages

5 L/ha during every fast growth period following hot and dry conditions.

### Carrots

6 L/ha make 3 treatments at 2 weeks interval starting when roots have reached a third of their growth.

### Celery

5 L/ha during every fast growth period following hot and dry conditions.

### Lettuce

5 L/ha during every fast growth period following hot and dry conditions.

### Peppers and tomatoes

2.5 L/ha make 3 applications 1 week apart starting a week after formation of first fruit. Repeat during every fast growth period following hot and dry conditions.

**CAUTION:** Keep out of reach of children.

## PERSONAL PROTECTION

Prevent contact with eyes, skin, or clothing by wearing goggles and protective clothing.

## FIRST AID MEASURES

**EYE CONTACT:** Check for and remove contact lenses. Immediately flush eyes with plenty of water, holding eyelids open. Consult a physician.

**SKIN CONTACT:** Remove contaminated clothing, wash with soap and water, and rinse thoroughly.

**INGESTION:** DO NOT INDUCE VOMITING. If victim is conscious and alert, rinse mouth with water and give a glass of water or milk to dilute material.

IMMEDIATELY OBTAIN MEDICAL ATTENTION. If spontaneous vomiting occurs, have the individual lean forward with head down to avoid breathing in of vomit. Rinse mouth and give a glass of water or milk.

## STORAGE

This product must be kept above 0°C and must not be stacked more than two pallets high with each pallet two pails high.

**DISPOSAL OF EMPTY CONTAINERS:** Triple rinse, dispose of empty container in accordance with municipal/provincial/federal regulations or recycle.

## NOTICE

Seller warrants that the product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than the officer of seller, is authorized to make any warranty, guarantee or direction concerning this product.



**AXTER**  
Agroscience inc.

895, Chemin Benoît  
Mont-St-Hilaire  
Québec J3G 4S6