



**DECCO**  
**Cerexagri Inc.**

**NO SCALD DPA EC- 283**

FOR CONTROL OF STORAGE  
SCALD ON APPLES

**GUARANTEE:**

Diphenylamine ..... 0.320 Kg/liter

NET CONTENTS: 19 LITERS

REGISTRATION NO. 13471  
PEST CONTROL PRODUCTS ACT

**CAUTION**

KEEP OUT OF REACH OF CHILDREN

AGRICULTURAL  
READ THE LABEL BEFORE USING

DO NOT STORE DPA TREATED APPLES IN ROOMS CONTAINING PEARS OR  
OTHER FRUITS

DECCO Cerexagri Inc.  
1713 S. California Ave.  
Monrovia CA 91016-0120  
U.S.A  
Phone: 626-358-1838

United Phosphorus Inc.  
58 Feathertop Lane  
Brampton, ON L6R 1X1  
CANADA  
Phone: 905-791-2698

**DIRECTION FOR USE:**

It is recommended that this product not be applied in a way that will contact workers or other persons, either directly or through drift. Only handlers wearing personal protective equipment (PPE) may be in the area during application.

DO NOT contaminate irrigation water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spill.

**Mixing Instructions:**

Add required amount of concentrated No Scald DPA EC-283 slowly and with good stirring to water, agitating continuously for at least five minutes.

**Dosage Rate:**

For 1000 ppm (parts per million) DPA, use 3.2 L of concentrate in 1000 L of water. For 2000 ppm DPA, use 6.4 L of concentrate in 1000 L of water.

**Rate of Application:**

Use 1000 ppm DPA on Baldwin, Grimes Golden and Rome Beauty. Use 2000 ppm DPA on other varieties.

**Timing:**

Treat fruit within seven days after harvest, prior to placing in storage. For best results, treat as soon as possible after picking.

**Post Harvest Application:**

(A) Dipping - Immerse all fruit completely in the No Scald DPA EC-283 emulsion. Remove and allow apples to drain thoroughly, then place in cold storage.

(B) Spraying on Roller Sorter- Spray or flood apples as they move over 1 meter section of roller sorter, allow another 1 meter section for drainage.

## **PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN**

Handlers (including mixers, loaders, persons cleaning or maintaining the drencher equipment, and persons handling treated apples or apple containers still wet with drench) must wear long-sleeved shirt, long pants and chemical resistant gloves.

Drenching applicators must wear long-sleeved shirt and long pants. Exception: persons who, during the application, remain inside the truck cab with the windows and doors closed need not wear PPE required for other handlers. However, if such drivers exit the truck cab in or immediately adjacent to the treatment area during the application, then they must wear the required PPE.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Users must wash hands before eating, drinking, chewing gum, using tobacco, or using toilet.

Users must remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users must remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Handling: Do not breathe spray mist. Avoid contact with skin and eyes. Harmful if swallowed. Wash after handling. In case of contact, flush skin or eyes with plenty of water; contact with eyes may cause eye injury. Wear goggles or face shield and approved mask; get medical attention.

If this pest control product is to be used on a commodity that may be exported to the U.S and you require information on acceptable residue levels in the U.S. visit CropLife Canada's website at: [www.croplife.ca](http://www.croplife.ca)

**Caution:** - Proper use: Consult local Experiment Station Pomologist for additional information on the use of this product. Keep tank and equipment absolutely clean at all times. Flush out tank thoroughly immediately after use and before refilling. Replace bath with fresh material after treating 25 to 35 metric tons per 1000 L of emulsion. Replace sooner if liquid becomes dirty. Prepare fresh solution daily. Do not hold solution over 24 hours. Do not combine No Scald DPA EC-283 with any other materials, unless you have established safety of the combination.

Do not make post harvest application to fruit already sprayed on the tree. Do not use diphenylamine impregnated wraps on apples already treated in pre or post harvest applications.

Flooding or spraying fruit in crates or bulk bins may not allow for sufficient drainage and may result in some fruit burning where bottom fruits remain in accumulated pools of liquid. Consult local Experiment Station Pomologists for methods of avoiding such injury.

Shipping containers of post harvest treated fruit must be marked: "Treated with diphenylamine to retard spoilage".

Do not graze cover crops in treated orchards. Avoid contamination of feed or foodstuffs. Do not use treated apples in the manufacturing of apple pomace for use in livestock feeds.

Safety to Fruits: No Scald DPA EC-283 has been safely used on many apple varieties.

However, injury may occur on Golden Delicious. Rates higher than 1000 ppm have at times caused injury to Baldwin, Grimes Golden and Rome Beauty. First use of this product should be on a trial basis until experience has been gained with it. Once opened use the entire contents of this container immediately.

**FIRST AID:** take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**IF SWALLOWED,** call a poison control centre or doctor immediately for treatment advice.

Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF IN EYE,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**DISPOSAL:**

1. Triple –or pressure – rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spill.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically

**NOTICE TO USER:**

This control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the direction on the label. The user assumes the risk to persons or property that arises from any such use of this product.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.