

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

### SECTION 1. IDENTIFICATION

#### Product identifier

**Product name** AIM® EC HERBICIDE

#### Other means of identification

**Product code** 50001765

**Chemical nature** Mixture

**Product Registration Number** PCP #28573

#### Recommended use of the chemical and restrictions on use

**Recommended use** Can be used as herbicide only.

**Restrictions on use** Use as recommended by the label.

#### Manufacturer or supplier's details

##### Manufacturer

FMC of Canada Ltd  
6755 Mississauga Road, Suite 204  
Mississauga, ON L5N 7Y2  
Canada  
Web: <https://ag.fmc.com/ca/en>  
SDS-Info@fmc.com

##### Supplier Address

FMC of Canada Limited  
6755 Mississauga Road, Suite 204  
Mississauga, ON L5N 7Y2  
Canada

##### Emergency telephone

For leak, fire, spill or accident emergencies, call:  
1 800 / 424-9300 (CHEMTREC - U.S.A.)  
1 703 / 741-5970 (CHEMTREC - International)  
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:  
U.S.A. & Canada: +1 800 / 331-3148  
All other countries: +1 651 / 632-6793 (Collect)

---

### SECTION 2. HAZARDS IDENTIFICATION

#### **GHS classification in accordance with the Hazardous Products Regulations**

Carcinogenicity : Category 2

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

Aspiration hazard : Category 1

### GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H304 May be fatal if swallowed and enters airways.  
H351 Suspected of causing cancer.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P331 Do NOT induce vomiting.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Very toxic to aquatic life with long lasting effects.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	Aromatic hydrocarbons	64742-94-5	$\geq 60 - < 80$ *
carfentrazone-ethyl (ISO)	Carfentrazone-ethyl	128639-02-1	21.9

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

butan-1-ol	1-Butanol	71-36-3	$\geq 1 - < 5$ *
4-hydroxy-4-methylpentan-2-one	4-hydroxy-4-methylpentan-2-one	123-42-2	$\geq 0.1 - < 1$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this material safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.
- If inhaled : Call a physician or poison control center immediately.  
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.  
Suspected of causing cancer.
- Notes to physician : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/06/2022
1.10	11/12/2025	50001765	Date of first issue: 05/01/2019

---

Hazardous combustion products : Carbon oxides  
Fire may produce irritating, corrosive and/or toxic gases.  
Nitrogen oxides (NO<sub>x</sub>)  
Fluorine compounds  
Hydrogen cyanide  
Hydrogen chloride  
Chlorinated compounds

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Never return spills in original containers for re-use.  
Only qualified personnel equipped with suitable protective equipment may intervene.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.

---

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.  
Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapors/dust.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Prevent unauthorized access.  
No smoking.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	CA AB OEL
		TWAEV	200 mg/m <sup>3</sup>	CA QC OEL
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhalable particulate matter)	1 mg/m <sup>3</sup>	ACGIH
butan-1-ol	71-36-3	TWA	20 ppm 60 mg/m <sup>3</sup>	CA AB OEL
		TWA	15 ppm	CA BC OEL
		C	30 ppm	CA BC OEL
		C	50 ppm 152 mg/m <sup>3</sup>	CA QC OEL
		TWA	20 ppm	ACGIH
4-hydroxy-4-methylpentan-2-one	123-42-2	TWA	50 ppm 238 mg/m <sup>3</sup>	CA AB OEL
		TWA	50 ppm	CA BC OEL
		TWAEV	50 ppm 238 mg/m <sup>3</sup>	CA QC OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

		TWA	50 ppm	ACGIH
--	--	-----	--------	-------

### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.  
Always have on hand a first-aid kit, together with proper instructions.
- Hygiene measures : Avoid contact with skin, eyes and clothing.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid
- Color : brown, orange
- Odor : Aromatic
- Odor Threshold : No data available
- pH : 5.3  
Concentration: 10 g/l
- Melting point/freezing point : No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/06/2022
1.10	11/12/2025	50001765	Date of first issue: 05/01/2019

---

Initial boiling point and boiling range : No data available

Flash point : 75.6 °C  
Method: closed cup

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 9 lb/gal

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.  
Avoid formation of aerosol.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/06/2022
1.10	11/12/2025	50001765	Date of first issue: 05/01/2019

---

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : LD50 (Rat): 4,077 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.31 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 4,000 mg/kg

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4.688 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **carfentrazone-ethyl (ISO):**

Acute oral toxicity : LD50 (Rat, female): 5,143 mg/kg  
Method: US EPA Test Guideline OPP 81-1  
Symptoms: Tremors  
GLP: yes

LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.09 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: EPA OPP 81 - 3  
Symptoms: Tremors, chromodacryorrhea, nasal discharge  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg  
Method: US EPA Test Guideline OPP 81-2  
GLP: yes  
Assessment: The component/mixture is minimally toxic after single contact with skin.  
Remarks: no mortality

### **butan-1-ol:**

Acute oral toxicity : LD50 (Rat): 2.292 mg/kg  
  
Acute toxicity estimate: 1,000 mg/kg  
Method: Expert judgment

Acute inhalation toxicity : LC0 (Rat): > 17.76 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): 3,430 mg/kg

### **4-hydroxy-4-methylpentan-2-one:**

Acute oral toxicity : LD50 Oral (Rat, male and female): 3,002 mg/kg  
Method: OECD Test Guideline 401  
Symptoms: Lethargy, ataxia, Coma

Acute inhalation toxicity : LC0 (Rat, male and female): >= 7.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: OECD Test Guideline 403  
Remarks: no mortality

Acute dermal toxicity : LD0 (Rat, male and female): > 1,875 mg/kg  
Method: OECD Test Guideline 402

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### **Product:**

Species : Rabbit  
Result : slight irritation

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

Remarks : May cause skin irritation and/or dermatitis.

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rabbit  
Assessment : Repeated exposure may cause skin dryness or cracking.  
Result : No skin irritation  
Remarks : Minimal effects that do not meet the threshold for classification.  
Based on data from similar materials

#### **carfentrazone-ethyl (ISO):**

Species : Rabbit  
Assessment : Not classified as irritant  
Method : US EPA Test Guideline OPP 81-5  
Result : slight irritation  
GLP : yes

#### **butan-1-ol:**

Species : Rabbit  
Result : Skin irritation

#### **4-hydroxy-4-methylpentan-2-one:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : slight irritation

#### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

### Product:

Result : slight irritation

Remarks : May cause irreversible eye damage.

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rabbit  
Assessment : No eye irritation  
Remarks : Minimal effects that do not meet the threshold for classification.  
Based on data from similar materials

#### **carfentrazone-ethyl (ISO):**

Species : Rabbit

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

Result : slight irritation  
Assessment : Not classified as irritant  
Method : EPA OPP 81-4  
GLP : yes

### butan-1-ol:

Species : Rabbit  
Result : Irreversible effects on the eye

### 4-hydroxy-4-methylpentan-2-one:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

### Respiratory or skin sensitization

#### Skin sensitization

Based on available data, the classification criteria are not met.

#### Respiratory sensitization

Based on available data, the classification criteria are not met.

#### Product:

Result : Does not cause skin sensitization.

#### Components:

##### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type : Maximization Test  
Species : Guinea pig  
Result : Not a skin sensitizer.  
Remarks : Based on data from similar materials

##### carfentrazone-ethyl (ISO):

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : US EPA Test Guideline OPP 81-6  
Result : Does not cause skin sensitization.  
GLP : yes

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitization.  
GLP : yes

##### butan-1-ol:

Result : Not a skin sensitizer.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

### 4-hydroxy-4-methylpentan-2-one:

Test Type : Maximization Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

#### **carfentrazone-ethyl (ISO):**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: U.S. EPA 84-2  
Result: negative  
GLP: yes

Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

- Method: OECD Test Guideline 473  
Result: negative  
GLP: yes
- Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Result: negative  
GLP: yes
- Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Result: negative  
GLP: yes
- Germ cell mutagenicity - Assessment : No genotoxic potential.
- butan-1-ol:**
- Genotoxicity in vitro : Test Type: gene mutation test  
Method: OECD Test Guideline 476  
Result: negative
- Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative
- 4-hydroxy-4-methylpentan-2-one:**
- Genotoxicity in vitro : Test Type: reverse mutation assay  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative
- Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Suspected of causing cancer.

### Product:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rat, male and female  
Application Route : inhalation (vapor)  
Exposure time : 12 month(s)  
NOAEC : 1.8 mg/l  
Result : negative  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### **carfentrazone-ethyl (ISO):**

Species : Rat, female  
Application Route : Ingestion  
Exposure time : 2 Years  
NOAEL : 3 mg/kg bw/day  
LOAEL : 12 mg/kg bw/day  
Method : U.S. EPA 83-5  
Result : no increase in tumors observed  
Target Organs : Liver  
GLP : yes

Species : Mouse, female  
Application Route : Ingestion  
Exposure time : 80 weeks  
NOAEL : 10 mg/kg bw/day  
LOAEL : 110 mg/kg bw/day  
Method : U.S. EPA 83-5  
Result : no increase in tumors observed  
Target Organs : Liver  
GLP : yes

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

### Components:

#### **carfentrazone-ethyl (ISO):**

Effects on fertility : Test Type: Multi-generation study  
Species: Rat, male and female  
Application Route: Ingestion  
Fertility: NOEL: 4,000 ppm  
Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/06/2022
1.10	11/12/2025	50001765	Date of first issue: 05/01/2019

---

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: NOEL: 100 mg/kg bw/day  
Embryo-fetal toxicity.: NOEL: 600 mg/kg bw/day  
Result: negative

Test Type: Embryo-fetal development  
Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: NOEL: 150 mg/kg bw/day  
Embryo-fetal toxicity.: NOEL: > 300 mg/kg bw/day  
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

### 4-hydroxy-4-methylpentan-2-one:

Effects on fertility : Test Type: one-generation reproductive toxicity  
Species: Rat, male and female  
Application Route: Oral  
Dose: 30, 100, 300, 1000mg/kg/bw  
Duration of Single Treatment: 45 d  
General Toxicity Parent: LOAEL: 300 mg/kg bw/day  
General Toxicity F1: NOAEL: 300 mg/kg bw/day  
Method: OECD Test Guideline 422

Effects on fetal development : Species: Rat  
Application Route: Oral  
Dose: 100, 300, 1000mg/kg/day  
Duration of Single Treatment: 21 d  
General Toxicity Maternal: NOAEL: > 1,000 mg/kg bw/day  
Embryo-fetal toxicity.: NOAEL: > 1,000 mg/kg bw/day  
Method: OECD Test Guideline 414

Species: Rabbit  
Application Route: Oral  
Dose: 0, 100, 300, 800mg/kg/bw/day  
Duration of Single Treatment: 29 d  
General Toxicity Maternal: LOAEL: 800 mg/kg bw/day  
Embryo-fetal toxicity.: LOAEL: 300 mg/kg bw/day  
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### STOT-single exposure

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

### Components:

#### **carfentrazone-ethyl (ISO):**

Remarks : No significant adverse effects were reported

#### **butan-1-ol:**

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

#### **4-hydroxy-4-methylpentan-2-one:**

Target Organs : Respiratory Tract  
Assessment : May cause respiratory irritation.

### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

### Components:

#### **carfentrazone-ethyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rat, male and female  
NOAEC : 0.9 - 1.8 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 12 Months

#### **carfentrazone-ethyl (ISO):**

Species : Mouse, male  
NOAEL : 143 mg/kg  
LOAEL : 571 mg/kg  
Application Route : Oral  
Exposure time : 90 days  
Method : EPA 82-1  
GLP : yes  
Target Organs : Blood, Liver

Species : Dog, male and female  
NOEL : 150 mg/kg  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 90 days  
Target Organs : Blood

Species : Dog, male and female

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

NOEL : 50 mg/kg  
NOAEL : 150 mg/kg  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 12 months  
GLP : yes  
Target Organs : Blood

Species : Rat, male  
NOAEL : 58 mg/kg  
Exposure time : 90 d  
Method : EPA 82-1  
GLP : yes

### butan-1-ol:

Species : Rat  
NOAEL : 1,500 mg/m<sup>3</sup>  
Application Route : Inhalation

### 4-hydroxy-4-methylpentan-2-one:

Species : Rat, male and female  
NOAEL : 600 mg/kg bw/day  
Application Route : Oral  
Exposure time : 13 weeks  
Dose : 0, 25, 150, 600mg/kg bw/day  
Method : OECD Test Guideline 408

Species : Rat, male and female  
NOAEL : 300 mg/kg bw/day  
Application Route : Oral  
Exposure time : 45 d  
Dose : 30, 100, 300, 1000mg/kgbw  
Method : OECD Test Guideline 422

Species : Rat, male and female  
NOAEL : 1000 ppm  
Application Route : inhalation (vapor)  
Exposure time : 6 weeks  
Dose : 50, 225, 1000 ppm  
Method : OECD Test Guideline 412

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/06/2022
1.10	11/12/2025	50001765	Date of first issue: 05/01/2019

---

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

May be fatal if swallowed and enters airways.

#### **carfentrazone-ethyl (ISO):**

The substance does not have properties associated with aspiration hazard potential.

### **Experience with human exposure**

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

### **Neurological effects**

### Components:

#### **carfentrazone-ethyl (ISO):**

No neurotoxicity observed in animal studies.

### **Further information**

### Product:

Remarks : Solvents may degrease the skin.

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50 (Daphnia magna (Water flea)): 0.89 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677.9 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition

### **carfentrazone-ethyl (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.55 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203

LC50 (Menidia beryllina (Silverside)): 1.14 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: EPA OPP 72-1

LC50 (Lepomis macrochirus (Bluegill sunfish)): 2 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 9.8 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0.0133 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 0.00933 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

End point: Growth rate  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

EbC50 (*Selenastrum capricornutum* (green algae)): 16 µg/l  
Exposure time: 120 h

EC50 (*Navicula pelliculosa* (Diatom)): 12 µg/l  
Exposure time: 72 h  
Test Type: static test

EC50 (*Skeletonema costatum* (Diatom)): 15 µg/l  
Exposure time: 72 h  
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC (*Oncorhynchus mykiss* (rainbow trout)): 22 µg/l  
Exposure time: 89 d  
Test Type: Early Life-Stage  
Method: OECD Test Guideline 210  
GLP: yes

NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0.118 mg/l  
Exposure time: 102 d  
Test Type: flow-through test  
Method: US EPA Test Guideline OPP 72-4

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.309 mg/l  
End point: Growth  
Exposure time: 21 d  
Method: OECD Test Guideline 202

NOEC (*Daphnia magna* (Water flea)): 0.316 mg/l  
End point: Growth  
Exposure time: 21 d  
Method: OECD Test Guideline 202

NOEC (*Daphnia*): 35 mg/l  
End point: reproduction  
Exposure time: 21 d  
Method: US EPA Test Guideline OPPTS 850.1300  
Remarks: Information given is based on data obtained from similar product.

Toxicity to microorganisms : NOEC (activated sludge): 1,000 mg/l  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : NOEC (*Eisenia fetida* (earthworms)): 820 mg/kg

Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on Nitrogen minerali-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

zation.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm  
End point: Acute oral toxicity  
Remarks: Dietary

LC50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm  
End point: Acute oral toxicity  
Remarks: Dietary

LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg  
End point: Acute oral toxicity  
Method: EPA OPP 71-1

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg  
End point: Acute oral toxicity  
Method: EPA OPP 71-1

NOEL (Colinus virginianus (Bobwhite quail)): 1000 ppm  
End point: Reproduction Test

LD50 (Apis mellifera (bees)): > 200 µg/bee  
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee  
End point: Acute contact toxicity

### Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

### butan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,376 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,328 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 225 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 225 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 4.1 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 225 mg/l  
Exposure time: 4 d

EC50 (Natural microorganism): 4,390 mg/l  
Exposure time: 17 h

### 4-hydroxy-4-methylpentan-2-one:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): > 1,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): >= 1,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : LOEC (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 58.6 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

#### **carfentrazone-ethyl (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 3.9 %

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

Exposure time: 28 d  
Method: OECD Test Guideline 301B

Stability in water : Degradation half life: 3.6 h pH: 9  
Degradation half life: 8.6 d pH: 7

Photodegradation :

### butan-1-ol:

Biodegradability : Result: Readily biodegradable.  
Remarks: Expected to be biodegradable

### 4-hydroxy-4-methylpentan-2-one:

Biodegradability : Inoculum: activated sludge  
Result: Readily biodegradable.  
Method: OECD Test Guideline 301A

## Bioaccumulative potential

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.72  
Method: QSAR

#### **carfentrazone-ethyl (ISO):**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 176  
Exposure time: 28 d  
Method: OECD Test Guideline 305E  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3.7 (20 °C)

#### **butan-1-ol:**

Partition coefficient: n-octanol/water : Pow: 1 (25 °C)

#### **4-hydroxy-4-methylpentan-2-one:**

Partition coefficient: n-octanol/water : log Pow: -0.09  
Method: QSAR

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/06/2022
1.10	11/12/2025	50001765	Date of first issue: 05/01/2019

---

### Mobility in soil

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

##### **carfentrazone-ethyl (ISO):**

Distribution among environmental compartments : Koc: 866, log Koc: 2.93  
Remarks: Mobile in soils

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Carfentrazone-ethyl)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : no

#### **IATA-DGR**

UN/ID No. : UN 3082

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version 1.10      Revision Date: 11/12/2025      SDS Number: 50001765      Date of last issue: 10/06/2022  
Date of first issue: 05/01/2019

---

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Carfentrazone-ethyl)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Carfentrazone-ethyl)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Carfentrazone-ethyl)  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes  
Remarks : Display "inhalation hazard" mark on package in accordance  
with TDG 4.23.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

**NPRI Components** : Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified  
butan-1-ol

### The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/06/2022
1.10	11/12/2025	50001765	Date of first issue: 05/01/2019

---

TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	:	Not in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

### Canadian lists

No substances are subject to a Significant New Activity Notification.

### PMRA/PCPA Information

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product

### CAUTION

Avoid breathing dust or spray mist., Avoid contact with skin, eyes and clothing., Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., Remove and wash contaminated clothing before reuse., This product is toxic to fish and invertebrates.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/06/2022
1.10	11/12/2025	50001765	Date of first issue: 05/01/2019

---

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / C	:	ceiling limit
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / C	:	Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## AIM® EC HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/06/2022
1.10	11/12/2025	50001765	Date of first issue: 05/01/2019

---

implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

### Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet