

Date of issue/ Date of revision : 02/22/2023
Date of previous issue : 02/22/2021
Version : 2.0



SAFETY DATA SHEET

YaraVita Magtrac CMZ

Section 1. Identification

Product identifier : YaraVita Magtrac CMZ
Product type : Liquid (Suspension)
Product code : PYPDTL

Uses

Area of application : Professional applications
Material uses : Fertilizers.

Supplier

Supplier's details : Yara Canada Inc.

Address

Street : 1874 Scarth Street
Number : Ste 1800
Postal code : S4P 4B3
City : Regina
Country : Canada

Telephone number : +1 306 525 7600
Fax no. : +1 306 525 2942
e-mail address of person : yna-hesq@yara.com
responsible for this SDS

Emergency telephone number : US: Chemtrec 24-hours Emergency Response: 1-800-424-9300
(with hours of operation) Canada: 24 Hour Emergency service, CHEMTREC 1-800-424-9300

National advisory body/Poison Center

Name : Poisons and Drug Information Service
Telephone number : +1 403 944 1414, (800) 332 1414 (Alberta only)

Section 2. Hazards identification

Classification of the : EYE IRRITATION - Category 2A
substance or mixture. SPECIFIC TARGET ORGAN TOXICITY (REPEATED)

EXPOSURE) (kidneys) - Category 2
 AQUATIC HAZARD (ACUTE) - Category 1
 AQUATIC HAZARD (LONG-TERM) - Category 1

GHS label elements**Hazard pictograms****Signal word**

: Warning

Hazard statements

: H319 Causes serious eye irritation.
 H373 May cause damage to organs through prolonged or repeated exposure. (kidneys)
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements**Prevention**

: P280-a Wear eye protection.
 P260 Do not breathe gas or vapour.
 P273 Avoid release to the environment.

Response

: P391 Collect spillage.
 P314-a Get medical attention if you feel unwell.
 P305 IF IN EYES:
 P351 Rinse cautiously with water for several minutes.
 P338 Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 If eye irritation persists:
 P313 Get medical attention.

Additional information

: None.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	CAS number	% (w/w)
Zinc oxide (ZnO)	1314-13-2	5 - 7
Copper oxide (Cu ₂ O)	1317-39-1	2.5 - 3
1,2-Ethanediol	107-21-1	1 - 2
2-Pyridinethiol, 1-oxide, sodium salt (1:1)	3811-73-2	0.001 - 0.01

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual

concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- | | | |
|---------------------|---|--|
| Eye contact | : | Rinse with plenty of running water. Check for and remove any contact lenses. Get medical attention following exposure or if feeling unwell. |
| Inhalation | : | Avoid inhalation of vapor, spray or mist. If inhaled, remove to fresh air. Get medical attention following exposure or if feeling unwell. |
| Skin contact | : | Wash with soap and water. Continue to rinse for at least 10 minutes. Get medical attention if irritation develops. Get medical attention following exposure or if feeling unwell. |
| Ingestion | : | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Get medical attention following exposure or if feeling unwell. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

- | | | |
|---------------------|---|--|
| Eye contact | : | Causes serious eye irritation. |
| Inhalation | : | Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. |
| Skin contact | : | No known significant effects or critical hazards. |
| Ingestion | : | Irritating to mouth, throat and stomach. |

Over-exposure signs/symptoms

- | | | |
|---------------------|---|---|
| Eye contact | : | Adverse symptoms may include the following: pain or irritation, watering, redness |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |

Indication of immediate medical attention and special treatment needed, if necessary

- | | | |
|-----------------------------------|---|---|
| Notes to physician | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : | No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None identified.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: nitrogen oxides, metal oxide/oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Remark	: Non-explosive.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages

into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Not for human or animal consumption.

- | | | |
|---|---|--|
| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Bund storage facilities to prevent soil and water pollution in the event of spillage. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Zinc oxide (ZnO)	CA Alberta Provincial (2009-07-01). TWA 2 mg/m ³ Form: Respirable STEL 10 mg/m ³ Form: Respirable CA British Columbia Provincial (2004-08-01). TWA 2 mg/m ³ Form: Respirable STEL 10 mg/m ³ Form: Respirable CA Ontario Provincial (2015-06-29).

	<p>TWA 2 mg/m³ Form: Respirable particulate matter. STEL 10 mg/m³ Form: Respirable particulate matter. CA Quebec Provincial (2021-06-01). TWA 2 mg/m³ Form: Respirable dust CA Quebec Provincial (2000-01-12). STEL 10 mg/m³ Form: Respirable dust CA Saskatchewan Provincial (2007-08-10). TWA 2 mg/m³ Form: respirable dust and fume STEL 10 mg/m³ Form: respirable dust and fume</p>
1,2-Ethanediol	<p>CA Alberta Provincial (2009-07-01). CEIL 100 mg/m³ CA British Columbia Provincial (2004-08-01). TWA 10 mg/m³ Form: only particles STEL 20 mg/m³ Form: only particles CA British Columbia Provincial (2010-09-01). CEIL 100 mg/m³ Form: Aerosol CEIL 50 ppm Form: Vapor CA Ontario Provincial (2020-07-02). CEIL 10 mg/m³ Form: Inhalable particulate matter, aerosol only CA Quebec Provincial (2000-01-12). STEL 127 mg/m³ 50 ppm Form: VAP_MIST CA Saskatchewan Provincial (2007-08-10). CEIL 100 mg/m³ Form: Aerosol CA Ontario Provincial (2020-07-02). STEL 50 ppm Form: Vapour fraction. TWA 25 ppm Form: Vapour fraction.</p>

Appropriate engineering controls

- : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures**Hygiene measures**

- : A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.




Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Recommended: Tightly-fitting goggles, Europe: EN166,

Skin protection**Hand protection**

- : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : In case of inadequate ventilation wear respiratory protection. Recommended Filter P2
- Personal protective equipment (Pictograms)** :   

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

- Physical state** : Liquid [Suspension]
- Color** : Red.,
- Odor** : Odorless.
- Odor threshold** : Not determined.
- pH** : 10
- Melting point/freezing point** : -8 °C (18 °F)
- Boiling point, initial boiling point, and boiling range** : 100 °C (212 °F)
- Flash point** : Not applicable.
- Evaporation rate** : Not determined.
- Flammability** : Non-flammable.
- Lower and upper explosion limit/flammability limit** : **Lower:** Not applicable.
Upper: Not applicable.
- Vapor pressure** : < 23 hPa
- Relative vapor density** : < 1
- Relative density** : Not determined.
- Density** : 1.5775 g/cm³ @ 20 °C (68 °F)
- Miscibility with water** : Disperses in water
- Partition coefficient: n-** : Not applicable.

octanol/water**Auto-ignition temperature** : Not determined.**Decomposition temperature** : Not determined.**Viscosity** : **Dynamic:** 2,000 - 3,000 mPa.s**Kinematic:** Not determined.**Explosive properties** : Non-explosive.**Oxidizing properties** : Non-oxidizer.
No oxidizing ingredients present.**Particle characteristics****Median particle size** : Not applicable.**Section 10. Stability and reactivity****Reactivity** : No specific test data related to reactivity available for this product or its ingredients.**Chemical stability** : The product is stable.**Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.**Conditions to avoid** : Avoid contamination by any source including metals, dust and organic materials.**Incompatible materials** : Urea reacts with calcium hypochlorite or sodium hypochlorite to form the explosive nitrogen trichloride.**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.**Section 11. Toxicological information****Information on toxicological effects****Acute toxicity**

Product/ingredient name	Method	Species	Result	Exposure
Zinc oxide (ZnO)				
	LD50 Oral	Rat	> 5,000 mg/kg	Not applicable.
	LC50 Inhalation Dusts and mists	Rat	> 5.7 mg/l	4 h
	OECD 402 LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.
Copper oxide (Cu ₂ O)				
	OECD 401 LD50 Oral	Rat	1,340 mg/kg	Not applicable.
	OECD 403 LC50 Inhalation Dusts and mists	Rat	3.34 mg/l	4 h

	OECD 402 LD50 Dermal	Rabbit	> 5,000 mg/kg	Not applicable.
1,2-Ethanediol				
	LD50 Oral	Rat	7,712 mg/kg	Not applicable.
2-Pyridinethiol, 1-oxide, sodium salt (1:1)				
	OECD 401 LD50 Oral	Rat	1,208 mg/kg	Not applicable.
	LC50 Inhalation Dusts and mists	Rat	1.08 mg/l	4 h
	LD50 Dermal	Rabbit	720 mg/kg	Not applicable.

Conclusion/Summary : No known significant effects or critical hazards.

Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure
Copper oxide (Cu ₂ O)				
	OECD 405 Eyes	Rabbit	Moderate irritant	21 d
2-Pyridinethiol, 1-oxide, sodium salt (1:1)				
	Eyes	Rabbit	Irritant	
	OECD 404 Skin	Rabbit	Irritant	

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Eyes : Causes serious eye irritation.

Respiratory : No known significant effects or critical hazards.

Sensitization

Product/ingredient name	Method	Species	Result
Copper oxide (Cu ₂ O)			
	OECD 406 Skin	Pig	Not sensitizing

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Respiratory : No known significant effects or critical hazards.

Mutagenicity

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

Product/ingredient name	Method	Species	Result	Exposure
Copper oxide (Cu ₂ O)				

	OECD 416 Oral	Rat	Fertility effects- Negative LOAEL > 1500 mg/kg	Not applicable.
	OECD 414 Oral	Rabbit	Developmental- Negative NOAEL 6 mg/kg bw/day	Not applicable.

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
1,2-Ethanediol	Category 2	oral	kidneys

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely routes of exposure : Not available.

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

Product/ingredient name	Method	Species	Result	Exposure
Copper oxide (Cu ₂ O)				
	OECD 408 Sub-chronic	Rat	1,000 mg/kg	92 days 7 days per week

	NOAEL Oral			
--	---------------	--	--	--

- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.
- Effects on or via lactation** : No known significant effects or critical hazards.
- Other effects** : May cause damage to organs through prolonged or repeated exposure.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
YaraVita Magtrac CMZ	11,944 mg/kg	N/A	N/A	N/A	53 mg/l
Copper oxide (Cu ₂ O)	500 mg/kg	N/A	N/A	N/A	3.34 mg/l
1,2-Ethanediol	500 mg/kg	N/A	N/A	N/A	N/A
2-Pyridinethiol, 1-oxide, sodium salt (1:1)	1,208 mg/kg	720 mg/kg	N/A	N/A	1.08 mg/l

Section 12. Ecological information

Toxicity

Product/ingredient name	Method	Species	Result	Exposure
Zinc oxide (ZnO)				
	OECD 203 Acute LC50 Fresh water	Fish	0.1 - 1 mg/l	96 h
	OECD 202 Acute EC50 Fresh water	Daphnia	0.1 - 1 mg/l	48 h
	OECD 201 Acute IC50 Fresh water	Algae	0.136 mg/l	72 h
Copper oxide (Cu ₂ O)				
	Acute LC50	Fish	0.08 - 0.28 mg/l	96 h

	Fresh water			
	Acute EC50 Fresh water	Daphnia	0.031 mg/l	48 h
	OECD 201 Acute EC50 Fresh water	Algae	0.333 mg/l	72 h
1,2-Ethanediol				
	Acute LC50 Fresh water	Fish	> 72,860 mg/l	96 h
2-Pyridinethiol, 1-oxide, sodium salt (1:1)				
	OECD 203 Acute LC50 Fresh water	Fish	0.0066 mg/l	96 h
	Acute EC50 Fresh water	Daphnia	0.022 mg/l	48 h
	Acute EC50 Fresh water	Algae	0.46 mg/l	96 h

Conclusion/Summary : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Conclusion/Summary : No known significant effects or critical hazards.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1,2-Ethanediol	-1.36	Not applicable.	low

Conclusion/Summary : No known significant effects or critical hazards.

Mobility in soil

Soil/water partition coefficient (KOC) : Not available.

Mobility : Not available.

Other adverse effects : No known significant effects or critical hazards.


Section 13. Disposal considerations


Product

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been


cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.


Section 14. Transport information


Regulation: UN Class	
14.1 UN number	3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc oxide, dicopper oxide,)
14.3 Transport hazard class(es)	9 
14.4 Packing group	III
14.5 Environmental hazards	Yes.
Additional information <u>Environmental hazards</u> : Yes.	

Regulation: IMDG	
14.1 UN number	3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc oxide, dicopper oxide,)
14.3 Transport hazard class(es)	9 
14.4 Packing group	III
14.5 Environmental hazards	Yes.
Additional information <u>Marine pollutant</u> : No. <u>Emergency schedules (EmS)</u> : F-A, S-F	

Regulation: IATA	
14.1 UN number	3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc oxide, dicopper oxide,)
14.3 Transport hazard class(es)	9

	
14.4 Packing group	III
14.5 Environmental hazards	Yes.
Additional information <u>Marine pollutant</u> : Yes.	

Regulation: DOT Classification	
14.1 UN number	UN3082
14.2 UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (zinc oxide, dicopper oxide,)
14.3 Transport hazard class(es)	9 
14.4 Packing group	III
14.5 Environmental hazards	Yes.
Additional information <u>Marine pollutant</u> : Not available.	

Regulation: TDG Class	
14.1 UN number	3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc oxide, dicopper oxide,)
14.3 Transport hazard class(es)	9 
14.4 Packing group	III
14.5 Environmental hazards	Yes.
Additional information Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9), 2.7 (Marine pollutant mark) <u>Environmental hazards</u> : Yes.	

14.6 Special precautions for : Transport within user's premises: Ensure that persons

user transporting the product know what to do in the event of an accident or spillage.

IMSBC : Not applicable.

Transport in bulk according to IMO instruments **Proper shipping name** : Not listed.

Section 15. Regulatory information

Canadian lists

Canadian NPRI : The following components are listed: Carbonic acid, manganese(2+) salt (1:1) Zinc oxide (ZnO) Copper oxide (Cu₂O) 1,2-Ethanediol

CEPA Toxic substances : None of the components are listed.

Inventory list

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Australia inventory (AIIIC): All components are listed or exempted.

United States inventory (TSCA 8b): All components are active or exempted.

Canada: All components are listed or exempted.

Section 16. Other information

Key to abbreviations :

- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- bw = Body weight
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- HPR = Hazardous Products Regulations
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- N/A = Not available
- RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
- SUSMP - Standard Uniform Schedule of Medicine and Poisons
- SGG = Segregation Group
- UN = United Nations

Procedure used to derive the classification

Classification	Justification
EYE IRRITATION - Category 2A	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (kidneys) - Category 2	Calculation method

AQUATIC HAZARD (ACUTE) - Category 1	Calculation method
AQUATIC HAZARD (LONG-TERM) - Category 1	Calculation method

Key data sources : EU REACH ECHA/IUCLID5 CSR.

National Institute for Occupational Safety and Health, U.S.
Dept. of Health, Education, and Welfare, Reports and
Memoranda Registry of Toxic Effects of Chemical
Substances.

Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec
HAR 2P9, Canada.

History

Date of printing : 03/27/2023

Date of issue/Date of revision : 02/22/2023

Date of previous issue : 02/22/2021

Revision comments : TThe following sections contain updated information: 2, 3, 9 and 14

Version : 2.0

Prepared by : Product Stewardship and Compliance (PSC).

|| Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.