



A Portfolio of Proven Products for Grapes

Arysta LifeScience offers an expanded portfolio of innovative and trusted crop protection products for grapes — products that will protect your grape crop from weeds, insects and disease for improved fruit quality and yield.

Acramite MITICIDE

ACRAMITE® provides good knockdown and long-lasting residual control of pest mites and is especially effective during the motile stage. ACRAMITE is also easy on predatory mites and beneficial insects. The unique mode of action makes it an excellent choice for a resistance management program.

Casoron HERBICIDE

CASORON® is an easy-to-use granular herbicide that provides long-lasting, effective control on a broad spectrum of annual grasses, broadleaf weeds and certain perennial weeds.

Elevate FUNGICIDE

The unique active ingredient in ELEVATE® provides outstanding control of *Botrytis cinerea* (Bunch rot). ELEVATE has no impact on grape ripening, fermentation or flavour.


Maestro FUNGICIDE

MAESTRO® provides control of Downy mildew, and Phomopsis cane and leaf spot in grapes with minimal impact on the environment. MAESTRO features multiple modes of action, which reduces the potential for disease resistance.

METTLE WEED AND FUNGICIDE

METTLE®, with strong preventative activity, controls Powdery mildew for improved fruit quality and yield with no adverse crop effect. A highly systemic active ingredient, combined with state-of-the-art formulation, provides long-lasting protection and superior disease control.

Recommended Application Timing



	ACTIVE INGREDIENT	HERBICIDE / FRAC / IRAC GROUP	REI	PHI	RATE(S) / Ha	MAX NO. APPLICATIONS / SEASON	WEEDS / INSECTS / DISEASE CONTROLLED	NOTES
	DICHLORANIL	20	12 HOURS	N/A	110 - 225 KG	225 KG EVERY OTHER YEAR	ANNUAL GRASSES AND BROADLEAF / CERTAIN PERENNIAL WEEDS	DORMANT APPLICATION ONLY IN COOL WEATHER TO MOIST SOIL. ONLY TREAT HEALTHY 2-YEAR-OLD ESTABLISHED VINES.
	CAPTAN	M	72 HOURS	7 DAYS	2 - 3.5 KG	N/A	PHOMOPSIS CANE & LEAF SPOT (DEAD ARM) / DOWNY MILDEW	
	TETRACONAZOLE	3	15 - 23 DAYS	15 DAYS	219 - 365 ML	2 APPLICATIONS PER SEASON	BLACK ROT / POWDERY MILDEW	RE-ENTRY INTERVAL IS ACTIVITY DEPENDANT.
	FENHEXAMID	17	12 HOURS	7 DAYS	112 KG	3 APPLICATIONS PER SEASON	BOTRYTIS BUNCH ROT	
	BIFENAZATE	UN	12 HOURS - 5 DAYS	14 DAYS	568 - 851 GRAMS	1 APPLICATION PER SEASON	TWO-SPOTTED SPIDER MITE, EUROPEAN RED MITE	RE-ENTRY INTERVAL IS ACTIVITY DEPENDANT. USE HIGHER RATE FOR ERM CONTROL.

To learn more about the Arysta LifeScience portfolio of crop protection products, contact your crop protection retailer, visit www.gowithwhatworks.ca, or call 866-761-9397.



The information provided herein is believed to be correct at the time of printing. Always read and follow label directions. ELEVATE, the ELEVATE logo, MAESTRO and the MAESTRO logo are registered trademarks of Arysta LifeScience North America, LLC. ACRAMITE and CASORON are registered trademarks of MacDermid Agricultural Solutions Inc. METTLE is a registered trademark of ISAGRO S.p.A. Arysta LifeScience and the Arysta LifeScience logo are registered trademarks of Arysta LifeScience Corporation. ©2016 Arysta LifeScience North America, LLC. CDNH-1509