

1/13

### **DECIS® 100 EC INSECTICIDE**

Version 2.0 / CDN Revision Date: 04/27/2021 102000002876 Print Date: 05/14/2021

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name DECIS® 100 EC INSECTICIDE

Product code (UVP) 05943388

**SDS Number** 102000002876

PCP Registration No. 33700

Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

**Restrictions on use**See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classified in accordance with Part 2 of the Hazardous Products Regulations

Aspiration hazard, Serious eye damage: Category 1

Acute toxicity(Oral, Inhalation): Category 4

Specific target organ toxicity - single exposure: Category 3

Flammable liquids: Category 3

Labelling in accordance with Part 3 of the Hazardous Products Regulations









Signal word: Danger Hazard statements



### **DECIS® 100 EC INSECTICIDE**

Version 2.0 / CDN 102000002876

Revision Date: 04/27/2021 Print Date: 05/14/2021

May be fatal if swallowed and enters airways.

Causes serious eye damage.

Harmful if swallowed or if inhaled.

May cause respiratory irritation.

May cause drowsiness or dizziness.

Flammable liquid and vapour.

#### **Precautionary statements**

Wear protective gloves/ eye protection/ face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid breathing mist/ spray.

Use only outdoors or in a well-ventilated area.

Keep away from open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.

Do NOT induce vomiting.

Rinse mouth.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/ physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

Dispose of contents/container in accordance with local regulation.

#### **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight
Deltamethrin	52918-63-5	10.50
2-Methylpropan-1-ol	78-83-1	1.3
Cyclohexanone	108-94-1	36.8
Hydrocarbons, C9, aromatics	64742-95-6	44.0
Benzenesulfonic acid, mono-C11-13-branched alkyl	68953-96-8	2.9
derivs., calcium salts		



# **DECIS® 100 EC INSECTICIDE**

 Version 2.0 / CDN
 Revision Date: 04/27/2021

 102000002876
 Print Date: 05/14/2021

#### **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

**Skin contact** Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** Local:, Skin and eye paraesthesia which may be severe, Usually

transient with resolution within 24 hours, Skin, eye and mucous

membrane irritation, Cough, Sneezing

Systemic:, discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular

fasciculation, Apathy, Dizziness

Indication of any immediate medical attention and special treatment needed

**Risks** This product contains a pyrethroid. Pyrethroid poisoning should not be

confused with carbamate or organophosphate poisoning.

**Treatment** Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory

and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or

artificial respiration if needed. In case of convulsions, a

benzodiazepine (e.g. diazepam) should be given according to standard

regimens. If not effective, phenobarbital may be used.

Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without

sequelae.

In case of skin irritation, application of oils or lotions containing vitamin

E may be considered.



### **DECIS® 100 EC INSECTICIDE**

Version 2.0 / CDN Revision Date: 04/27/2021 102000002876 Print Date: 05/14/2021

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

**Unsuitable** High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point 40 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Remove

all sources of ignition. Keep unauthorized people away. Isolate hazard

area.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



### **DECIS® 100 EC INSECTICIDE**

Version 2.0 / CDN 102000002876

5/13 Revision Date: 04/27/2021 Print Date: 05/14/2021

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge. Vapours may form explosive mixture

with air.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store in original

container. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.01 mg/m3 (TWA)		OES BCS*
2-Methylpropan-1-ol	78-83-1	152 mg/m3/50 ppm (TWA)	07 2009	CAD AB OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	09 2011	CAD BC OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	03 2011	CAD MB OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	11 2010	CAD ON OEL
2-Methylpropan-1-ol	78-83-1	60 ppm (15 MIN ACL)	05 2009	CAD SK OEL
2-Methylpropan-1-ol	78-83-1	50 ppm	05 2009	CAD SK



# **DECIS® 100 EC INSECTICIDE**

Version 2.0 / CDN 102000002876

Revision Date: 04/27/2021 Print Date: 05/14/2021

		(8 HR ACL)		OEL
2-Methylpropan-1-ol	78-83-1	152 mg/m3/50 ppm (TWA)	11 2011	OEL (QUE)
Cyclohexanone	108-94-1	80 mg/m3/20 ppm (TWA)	07 2009	CAD AB OEL
Cyclohexanone	108-94-1	200 mg/m3/50 ppm (STEL)	07 2009	CAD AB OEL
Cyclohexanone	108-94-1	20 ppm (TWA)	09 2011	CAD BC OEL
Cyclohexanone	108-94-1	50 ppm (STEL)	09 2011	CAD BC OEL
Cyclohexanone	108-94-1	20 ppm (TWA)	03 2011	CAD MB OEL
Cyclohexanone	108-94-1	50 ppm (STEL)	03 2011	CAD MB OEL
Cyclohexanone	108-94-1	20 ppm (TWA)	11 2010	CAD ON OEL
Cyclohexanone	108-94-1	50 ppm (STEL)	11 2010	CAD ON OEL
Cyclohexanone	108-94-1	20 ppm (8 HR ACL)	05 2009	CAD SK OEL
Cyclohexanone	108-94-1	50 ppm (15 MIN ACL)	05 2009	CAD SK OEL
Cyclohexanone	108-94-1	100 mg/m3/25 ppm (TWA)	11 2011	OEL (QUE)

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)



### **DECIS® 100 EC INSECTICIDE**

 Version 2.0 / CDN
 Revision Date: 04/27/2021

 102000002876
 Print Date: 05/14/2021

**Eye protection** Use tightly sealed goggles and face protection.

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Form Liquid, clear

Colour light yellow to brown

**Odour** aromatic

Odour Threshold No data available

**pH** 4.5 - 7.0 (1 %) (23 °C) (deionized water)

Melting point/range No data available

**Boiling Point** 

No data available

Flash point 40 °C

Flammability No data available

Auto-ignition temperature No data available

Minimum ignition energy Not applicable

Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

**Density** ca. 0.95 g/cm<sup>3</sup> (20 °C)

Water solubility miscible

Partition coefficient: noctanol/water Deltamethrin: log Pow: 6.4 (25 °C)

Solvent Naphtha (petroleum), light aromatic:



### **DECIS® 100 EC INSECTICIDE**

Version 2.0 / CDN Revision Date: 04/27/2021 102000002876 Print Date: 05/14/2021

Not applicable

Viscosity, dynamic No data available

Viscosity, kinematicca. 1.77 mm²/s (40 °C)Surface tensionca. 29.8 mN/m (40 °C)

Oxidizing properties No data available Explosivity Not applicable

**Other information** Further safety related physical-chemical data are not known.

#### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity** Stable under normal conditions. **Thermal decomposition** Stable under normal conditions.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Extremes of temperature and direct sunlight.

**Incompatible materials** No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Skin contact, Inhalation, Ingestion

**Immediate Effects** 

Eye Corrosive to eyes.

Skin May cause irritation.

**Ingestion** Harmful or fatal if swallowed.

**Inhalation** Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) 633 mg/kg

Acute inhalation toxicity ATE (Mix) 2.4 mg/l

Calculation method

Acute dermal toxicity LD50 (Rat) > 4,000 mg/kg Skin corrosion/irritation No skin irritation (Rabbit)



### **DECIS® 100 EC INSECTICIDE**

Version 2.0 / CDN Revision Date: 04/27/2021 102000002876 Print Date: 05/14/2021

Serious eye damage/eye

irritation

Severe eye irritation. (Rabbit)

**Respiratory or skin** Skin: Non-sensitizing. (Guinea pig) **sensitisation** OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity - single exposure

Deltamethrin: Based on available data, the classification criteria are not met.

Solvent Naphtha (petroleum), light aromatic: May cause respiratory irritation., Solvent Naphtha

(petroleum), light aromatic: May cause drowsiness or dizziness.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.

### **Assessment mutagenicity**

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Solvent Naphtha (petroleum), light aromatic is not considered mutagenic.

#### Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.

#### **ACGIH**

Cyclohexanone 108-94-1 Group A3

NTP

None.

**IARC** 

Deltamethrin 52918-63-5 Overall evaluation: 3 Cyclohexanone 108-94-1 Overall evaluation: 3

**OSHA** 

None.

#### Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.

#### Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

Solvent Naphtha (petroleum), light aromatic: This information is not available.

#### **Aspiration hazard**



10/13

### **DECIS® 100 EC INSECTICIDE**

Version 2.0 / CDN Revision Date: 04/27/2021 102000002876 Print Date: 05/14/2021

May be fatal if swallowed and enters airways.

#### **Further information**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 0.0051 mg/l

Exposure time: 96 h

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0.00078 mg/l

invertebrates

Exposure time: 48 h

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 29.5 mg/l

Biomass; Exposure time: 72 h

EC50 (Raphidocelis subcapitata (freshwater green alga)) > 72.6 mg/l

Growth rate; Exposure time: 72 h

**Biodegradability** Deltamethrin:

Not rapidly biodegradable

Solvent Naphtha (petroleum), light aromatic:

rapidly biodegradable

**Koc** Deltamethrin: Koc: 10240000

**Bioaccumulation** Deltamethrin: Bioconcentration factor (BCF) 1,400

Does not bioaccumulate.

Solvent Naphtha (petroleum), light aromatic:

No data available

Mobility in soil Deltamethrin: Immobile in soil

Solvent Naphtha (petroleum), light aromatic: Slightly mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Deltamethrin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Solvent Naphtha (petroleum), light aromatic: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This

substance is not considered to be very persistent and very

bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or



11/13

### **DECIS® 100 EC INSECTICIDE**

Version 2.0 / CDN Revision Date: 04/27/2021 102000002876 Print Date: 05/14/2021

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Do not apply when weather conditions favor runoff or drift.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

Notify state/provincial or local authorities and Bayer immediately if you observe any adverse environmental effects due to the use of this

product.

Apply this product as specified on the label.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Product** Follow container label instructions for disposal of wastes generated

during use in compliance with the product label.

Dispose in accordance with all local, state/provincial and federal

regulations.

**Contaminated packaging** Do not re-use empty containers.

Completely empty container into application equipment, then dispose of

empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.

If burned, stay out of smoke.

Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

#### **SECTION 14: TRANSPORT INFORMATION**

**TDG** 

UN number 1993
Labels 3
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name FLAMMABLE LIQUID, N.O.S.

(DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM)

LIGHT AROMATIC)

49CFR

UN number 1993
Class 3
Packaging group III

Proper shipping name FLAMMABLE LIQUIDS, N.O.S.

(SOLVENT NAPHTHA (PETROLEUM) LIGHT AROMATIC,

CYCLOHEXANONE)

RQ Reportable Quantity is reached with 13,586 lb of product.



12/13

### **DECIS® 100 EC INSECTICIDE**

Version 2.0 / CDN Revision Date: 04/27/2021 102000002876 Print Date: 05/14/2021

**IMDG** 

UN number 1993
Class 3
Packaging group III
Marine pollutant YES

Proper shipping name FLAMMABLE LIQUID, N.O.S.

(DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM)

LIGHT AROMATIC SOLUTION)

**IATA** 

UN number 1993
Class 3
Packaging group III
Environm. Hazardous Mark NO

Proper shipping name FLAMMABLE LIQUID, N.O.S.

(DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM)

LIGHT AROMATIC SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information In accordance with TDG regulations 3.6(3) and 4.22 this

product does not require marine pollutant safety marks or shipping documentation reference when transported on land by

road or rail.

#### **SECTION 15: REGULATORY INFORMATION**

PCP Registration No. 33700

#### **PMRA Information:**

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:



13/13

# **DECIS® 100 EC INSECTICIDE**

Version 2.0 / CDN Revision Date: 04/27/2021 102000002876 Print Date: 05/14/2021

Signal word: Danger!

Hazard statements: Poison.

Corrosive to eyes.

Harmful or fatal if swallowed.

Harmful if inhaled. May cause skin irritation.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

#### **SECTION 16: OTHER INFORMATION**

#### **Abbreviations and acronyms**

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

#### NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 2 Instability - 1 Others - none

### HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 2 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 12. Ecological information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

**Revision Date: 04/27/2021** 

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.