

LUNA TRANQUILITY FUNGICIDE

Version 1.0 / CDN Revision Date: 12/03/2018 102000036913 Print Date: 03/16/2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name LUNA TRANQUILITY FUNGICIDE

Product code (UVP) 86201496

SDS Number 102000036913

PCP Registration No. 30510

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

This material is not hazardous under the criteria of Part 2 of the Hazardous Products Regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Concentration % by weight

Fluopyram 658066-35-4 11.3 Pyrimethanil 53112-28-0 33.8



LUNA TRANQUILITY FUNGICIDE

Version 1.0 / CDN Revision Date: 12/03/2018 102000036913 Print Date: 03/16/2019

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice Move out of dangerous area. When possible, have the product

container or label with you when calling a poison control center or

doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

Advice for firefighters

Special protective

equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.



LUNA TRANQUILITY FUNGICIDE

Version 1.0 / CDN Revision Date: 12/03/2018 102000036913 Print Date: 03/16/2019

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature560 °C / 1040 °FLower explosion limitNo data availableUpper explosion limitNo data available

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning upDike area to prevent runoff. Soak up with inert absorbent material

(e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Contaminated soil may have to be removed and disposed.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after

handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities



LUNA TRANQUILITY FUNGICIDE

Version 1.0 / CDN Revision Date: 12/03/2018 102000036913 Print Date: 03/16/2019

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Keep away from direct sunlight.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis	
Fluopyram	658066-35-4	0.34 mg/m3 (TWA)		OES BCS*	
Pyrimethanil	53112-28-0	5.6 mg/m3 (TWA)		OES BCS*	

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white to beige

Physical State suspension

Odor characteristic

Odour Threshold No data available

pH 5.0 - 8.5 (100 %) (23 °C)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

Density ca. 1.11 g/cm³ (20 °C)

Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data available



LUNA TRANQUILITY FUNGICIDE

Version 1.0 / CDN Revision Date: 12/03/2018 102000036913 Print Date: 03/16/2019

Water solubility

Minimum Ignition Energy

Not applicable

Decomposition
temperature

No data available
No data available

Partition coefficient: n-

octanol/water

No data available

Viscosity 220 - 350 mPa.s (20 °C) Velocity gradient 20 /s

Flash point No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature560 °C / 1040 °FLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot explosive

92/69/EEC, A.14 / OECD 113

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition No data available

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No data available

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Inhalation, Skin contact

Immediate Effects

Eye May cause eye irritation.

Skin Harmful if absorbed through skin.

Ingestion Harmful if swallowed.



LUNA TRANQUILITY FUNGICIDE

Version 1.0 / CDN Revision Date: 12/03/2018 102000036913 Print Date: 03/16/2019

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 1.973 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye

irritation

No eye irritation (Rabbit)

Respiratory or skin Non-sensitizing. (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - repeated exposure

Fluopyram did not cause specific target organ toxicity in experimental animal studies.

Pyrimethanil did not cause any significant specific adverse effects or target organ toxicity in subchronic toxicity studies.

Assessment mutagenicity

Fluopyram was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Pyrimethanil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Fluopyram caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Liver.

Fluopyram caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Thyroid.

The tumours seen with Fluopyram were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers these tumours is not relevant to humans.

Pyrimethanil was not carcinogenic in lifetime feeding studies in mice. Pyrimethanil caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Λ	\sim	^	ı	L	1
Α	u	G	ı	Г	7

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction



LUNA TRANQUILITY FUNGICIDE

Version 1.0 / CDN Revision Date: 12/03/2018 102000036913 Print Date: 03/16/2019

Fluopyram caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluopyram is related to parental toxicity. Pyrimethanil did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Fluopyram caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Fluopyram are related to maternal toxicity. Pyrimethanil did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 10.56 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient pyrimethanil.

LC50 (Oncorhynchus mykiss (rainbow trout)) > 2 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fluopyram. No acute toxicity was observed at its limit of water solubility.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 2.9 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient pyrimethanil.

EC50 (Daphnia magna (Water flea)) > 20 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient fluopyram. No acute toxicity was observed at its limit of water solubility.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 8.9 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient fluopyram. IC50 (Raphidocelis subcapitata (freshwater green alga)) 1.2 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient pyrimethanil.

Biodegradability Fluopyram:

Not rapidly biodegradable

Pyrimethanil:

Not rapidly biodegradable

Koc Fluopyram: Koc: 279

Pyrimethanil: Koc: 301

Bioaccumulation Fluopyram: Bioconcentration factor (BCF) 18

Does not bioaccumulate.

Pyrimethanil:



LUNA TRANQUILITY FUNGICIDE

Version 1.0 / CDN Revision Date: 12/03/2018 102000036913 Print Date: 03/16/2019

Does not bioaccumulate.

Mobility in soil Fluopyram: Moderately mobile in soils

Pyrimethanil: Moderately mobile in soils

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not allow to get into surface water, drains and ground water.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Do not contaminate water, food, or feed by disposal.

Follow container label instructions for disposal of wastes generated

during use in compliance with the product label.

Contaminated packaging Triple rinse containers.

Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(PYRIMETHANIL)

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES



LUNA TRANQUILITY FUNGICIDE

Version 1.0 / CDN Revision Date: 12/03/2018 102000036913 Print Date: 03/16/2019

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRIMETHANIL SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRIMETHANIL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 30510

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average



LUNA TRANQUILITY FUNGICIDE

Version 1.0 / CDN Revision Date: 12/03/2018 102000036913 Print Date: 03/16/2019

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: New Safety Data Sheet due to change in numbering scheme.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 12/03/2018

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.