

SAFETY DATA SHEET
CAPTURE® 2 EC INSECTICIDE/MITICIDE

SDS # : 6196-A
Revision date: 2020-05-05
Format: NA
Version 1.07



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name CAPTURE® 2 EC INSECTICIDE/MITICIDE

Other means of identification

Product Code(s) 6196-A

Synonyms BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl (1R,3R)-rel-3-[(1Z)-2-chloro-3,3,3-trifluoro-1-propenyl]-2,2-dimethylcyclopropanecarboxylate (CAS name); 2-methyl-3-phenylbenzyl (1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC name)

Active Ingredient(s) Bifenthrin

Alternate Commercial Name Capture 240 EC Insecticide
PCP # 31396

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies :
1 800 / 331-3148 (U.S.A. & Canada)
1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral

Category 3

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 3

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H301 - Toxic if swallowed
H304 - May be fatal if swallowed and enters airways
H317 - May cause an allergic skin reaction
H332 - Harmful if inhaled
H351 - Suspected of causing cancer
H370 - Causes damage to organs
H372 - Causes damage to organs through prolonged or repeated exposure

Physical Hazards

H226 - Flammable liquid and vapor



Precautionary Statements - Prevention

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical/ventilating/lighting equipment
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P308 + P311 - If exposed or concerned: Call a POISON CENTER or doctor
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P363 - Wash contaminated clothing before reuse
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312 - Call a POISON CENTER or doctor if you feel unwell
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P331 - Do NOT induce vomiting
P330 - Rinse mouth
P370 + P378 - In case of fire: Use Foam. Carbon dioxide (CO2). Dry chemical. Water spray or fog for extinction

Precautionary Statements - Storage

P405 - Store locked up

P403 + P235 - Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
Naphtha (petroleum), heavy aromatic	64742-94-5	50-60
Bifenthrin	82657-04-3	25.1
Pseudocumene	95-63-6	<20
Petroleum distillates, solvent dewaxed light paraffinic	64742-56-9	<5
Xylenes	1330-20-7	<1
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	<1
Cumene	98-82-8	<1
Propylene glycol	57-55-6	<1

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move victim to fresh air. If person is not breathing, contact emergency medical services, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Allergic skin reactions. Central nervous system effects.
Indication of immediate medical attention and special treatment needed, if necessary	This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Small Fire	Dry chemical. Carbon dioxide (CO ₂).

Large Fire	Water spray. Foam.
Unsuitable extinguishing media	Avoid heavy hose streams.
Specific Hazards Arising from the Chemical	Combustible liquid
Hazardous Combustion Products	Carbon oxides (COx), Hydrogen chloride, Hydrogen fluoride.
Explosion data	
Sensitivity to Mechanical Impact	No information available.
Sensitivity to Static Discharge	No information available.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate upwind.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains. See Section 12 for additional Ecological Information.
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.
Packaging material	Must only be kept in original packaging.
Incompatible products	No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Pseudocumene (95-63-6)	-	-	TWA: 25 ppm TWA: 125 mg/m ³	-
Xylenes (1330-20-7)	STEL 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 435 mg/m ³	-	Mexico: TWA 100 ppm Mexico: STEL 150 ppm
Cumene (98-82-8)	TWA: 50 ppm	TWA: 50 ppm TWA: 245 mg/m ³ S*	IDLH: 900 ppm TWA: 50 ppm TWA: 245 mg/m ³	Mexico: TWA 50 ppm
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta

Xylenes (1330-20-7)	TWA: 100 ppm STEL: 150 ppm	TWA: 100 ppm TWA: 434 mg/m ³ STEL: 150 ppm STEL: 651 mg/m ³	TWA: 100 ppm STEL: 150 ppm	TWA: 100 ppm TWA: 434 mg/m ³ STEL: 150 ppm STEL: 651 mg/m ³
Cumene (98-82-8)	TWA: 25 ppm STEL: 75 ppm	TWA: 50 ppm TWA: 246 mg/m ³	TWA: 50 ppm	TWA: 50 ppm TWA: 246 mg/m ³
Propylene glycol (57-55-6)	-	-	TWA: 10 mg/m ³ aerosol only TWA: 50 ppm aerosol and vapor TWA: 155 mg/m ³ aerosol and vapor	-

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Minimize skin contamination by following good industrial hygiene practices.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection For dust, splash, mist or spray exposures, wear elastomeric full-face or half mask respirator with appropriate cartridges and/or filters, which is approved for pesticides (U.S. NIOSH/MSHA, EU CEN or comparable certification organization).

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Amber Liquid
Physical State	Liquid
Color	Amber
Odor	Aromatic hydrocarbon
Odor threshold	No information available
pH	No information available
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	44 - 46 °C / 111.2 - 114.8 °F Closed cup
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available

Vapor density	No information available
Relative density	7.8 - 8.0 lb/gal. (940 - 960 g/L)
Specific gravity	0.94 - 0.96 @ 20°C
Water solubility	Emulsifies
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks
Incompatible materials	No information available.
Hazardous Decomposition Products	Carbon oxides (COx). Hydrogen chloride. Hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	262 mg/kg (rat)
LD50 Dermal	> 2000 mg/kg (rabbit)
LC50 Inhalation (dust)	1.86 mg/L 4 hr (rat) (mist)

Serious eye damage/eye irritation	Slight irritation (rabbit).
Skin corrosion/irritation	Non-irritating during normal use (rabbit).
Sensitization	May cause sensitization by skin contact

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Naphtha (petroleum), heavy aromatic (64742-94-5)	300-2000 mg/kg	> 2 mL/kg (Nyúl)	>5,2 mg/L
Bifenthrin (82657-04-3)	55 mg/kg (rat)	> 2000 mg/kg (rat)	0.8 mg/L (female, rat) 4 h
Pseudocumene (95-63-6)	3280 mg/kg (Rat)	3160 mg/kg (Rabbit)	18 g/m ³ (Rat) 4 h
Petroleum distillates, solvent dewaxed light paraffinic (64742-56-9)	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5399 mg/m ³ (Rat) 4 h
Xylenes (1330-20-7)	3500 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	11 mg/l (Rat) 4 h
Petroleum distillates, solvent dewaxed heavy paraffinic (64742-65-0)	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m ³ (Rat) 4 h
Cumene (98-82-8)	1400 mg/kg (Rat)	3160 mg/kg (Rabbit)	> 17,6 mg/L (Rat) 4 h
Propylene glycol	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	

(57-55-6)			
-----------	--	--	--

Information on toxicological effects

Symptoms Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including convulsions, tremors and bloody nasal discharge.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Bifenthrin: Long-term exposure caused neurotoxicity (tremors and impaired gait) in the early exposure in animal studies, but tremors disappeared with continued exposure

Mutagenicity Bifenthrin: Not genotoxic in laboratory studies.

Carcinogenicity Bifenthrin: Weak treatment-related response for liver adenocarcinomas and benign bladder tumors (lesion) in male mice

Neurological effects Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive salivation) following acute or subchronic exposure. Tremors disappeared with continued exposure

Reproductive toxicity Bifenthrin: No toxicity to reproduction in animal studies.

Developmental toxicity Bifenthrin: Not teratogenic in animal studies.

STOT - single exposure Causes damage to organs. See listed target organs below.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target organs below.

Target organ effects
Neurological effects Bifenthrin: Central Nervous System (CNS)
Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive salivation) following acute or subchronic exposure. Tremors disappeared with continued exposure

Aspiration hazard Aspiration may cause chemical pneumonitis.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, solvent dewaxed light paraffinic 64742-56-9	A2		Known	
Xylenes 1330-20-7		Group 3		
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	A2		Known	
Cumene 98-82-8		Group 2B	Reasonably Anticipated	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Bifenthrin (82657-04-3)				
Active Ingredient(s)	Duration	Species	Value	Units
	14-day LC50	Eisenia fetida	> 8	mg/kg soil

CAPTURE® 2 EC INSECTICIDE/MITICIDE

SDS # : 6196-A

Revision date: 2020-05-05

Version 1.07

	LD50	Bobwhite quail	1800	mg/kg
	96 h LC50	Salmo gairdneri	0.1	µg/L
	48 h EC50	Daphnia magna	0.11	µg/L
	21 d NOEC	Daphnia magna	0.00095	µg/L
	21 d NOEC	Pimephales promelas	1.86	µg/L
	30 d NOEC	Salmo gairdneri	0.012	µg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Xylenes 1330-20-7		96 h LC50: 13,1 - 16,5 mg/L (Lepomis macrochirus) flow-through 96 h LC50: 13,5 - 17,3 mg/L (Oncorhynchus mykiss) 96 h LC50: 2,661 - 4,093 mg/L (Oncorhynchus mykiss) static 96 h LC50: 23,53 - 29,97 mg/L (Pimephales promelas) static 96 h LC50: 30,26 - 40,75 mg/L (Poecilia reticulata) static 96 h LC50: 7,711 - 9,591 mg/L (Lepomis macrochirus) static 96 h LC50: = 13,4 mg/L (Pimephales promelas) flow-through 96 h LC50: = 19 mg/L (Lepomis macrochirus) 96 h LC50: = 780 mg/L (Cyprinus carpio) semi-static 96 h LC50: > 780 mg/L (Cyprinus carpio)	48 h LC50: = 0,6 mg/L (Gammarus lacustris) 48 h EC50: = 3,82 mg/L (water flea)
Polyethylene glycol 25322-68-3		24 h LC50: > 5000 mg/L (Carassius auratus)	
Propylene glycol 57-55-6	96 h EC50: = 19000 mg/L (Pseudokirchneriella subcapitata)	96 h LC50: 41 - 47 mL/L (Oncorhynchus mykiss) static 96 h LC50: = 51400 mg/L (Pimephales promelas) static 96 h LC50: = 51600 mg/L (Oncorhynchus mykiss) static 96 h LC50: = 710 mg/L (Pimephales promelas)	48 h EC50: > 1000 mg/L (Daphnia magna) Static 24 h EC50: > 10000 mg/L (Daphnia magna)
Petroleum distillates, solvent dewaxed light paraffinic 64742-56-9		96 h LC50: > 5000 mg/L (Oncorhynchus mykiss)	48 h EC50: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0		96 h LC50: > 5000 mg/L (Oncorhynchus mykiss)	48 h EC50: > 1000 mg/L (Daphnia magna)
Naphtha (petroleum), heavy aromatic 64742-94-5	72 h EC50: = 2,5 mg/L (Skeletonema costatum)	96 h LC50: = 1740 mg/L (Lepomis macrochirus) static 96 h LC50: = 19 mg/L (Pimephales promelas) static 96 h LC50: = 2,34 mg/L (Oncorhynchus mykiss) 96 h LC50: = 41 mg/L (Pimephales promelas) 96 h LC50: = 45 mg/L (Pimephales promelas) flow-through	48 h EC50: = 0,95 mg/L (Daphnia magna)
n-Butanol 71-36-3	72 h EC50: > 500 mg/L (Desmodesmus subspicatus) 96 h EC50: > 500 mg/L (Desmodesmus subspicatus)	96 h LC50: 100000 - 500000 µg/L (Lepomis macrochirus) static 96 h LC50: 1730 - 1910 mg/L (Pimephales promelas) static 96 h LC50: = 1740 mg/L (Pimephales promelas) flow-through 96 h LC50: = 1910000 µg/L (Pimephales promelas) static	48 h EC50: 1897 - 2072 mg/L (Daphnia magna) Static 48 h EC50: = 1983 mg/L (Daphnia magna)
Pseudocumene 95-63-6		96 h LC50: 7,19 - 8,28 mg/L (Pimephales promelas) flow-through	48 h EC50: = 6,14 mg/L (Daphnia magna)
Cumene 98-82-8	72 h EC50: = 2,6 mg/L (Pseudokirchneriella subcapitata)	96 h LC50: 6,04 - 6,61 mg/L (Pimephales promelas) flow-through 96 h LC50: = 2,7 mg/L (Oncorhynchus mykiss) semi-static 96 h LC50: = 4,8 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: = 5,1 mg/L (Poecilia reticulata) semi-static	48 h EC50: 7,9 - 14,1 mg/L (Daphnia magna) Static 48 h EC50: = 0,6 mg/L (Daphnia magna)

Persistence and degradability

Bifenthrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

Bioaccumulation	Bifenthrin: The substance has a potential for bioconcentration.
Mobility	Bifenthrin: Immobile. Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.
Contaminated containers and packages	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT

UN/ID no	UN3351
Proper Shipping Name	Pyrethroid pesticide, liquid, toxic, flammable
Hazard class	6.1
Subsidiary class	3
Packing Group	III
Description	UN3351, Pyrethroid pesticide, liquid, toxic, flammable, 6.1 (3), PG III

TDG

UN/ID no	UN3351
Proper Shipping Name	Pyrethroid pesticide, liquid, toxic, flammable
Hazard class	6.1
Subsidiary class	3
Packing Group	III
Marine Pollutant	Bifenthrin.
Description	UN3351, Pyrethroid pesticide, liquid, toxic, flammable (Bifenthrin, aromatic hydrocarbons), 6.1 (3), PG III

ICAO/IATA

UN/ID no	UN3351
Proper Shipping Name	Pyrethroid pesticide, liquid, toxic, flammable
Hazard class	6.1
Subsidiary Hazard Class	3
Packing Group	III
Description	UN3351, Pyrethroid pesticide, liquid, toxic, flammable (Bifenthrin, aromatic hydrocarbons), 6.1 (3), PG III

IMDG/IMO

UN/ID no	UN3351
Proper Shipping Name	Pyrethroid pesticide, liquid, toxic, flammable
Hazard class	6.1
Subsidiary Hazard Class	3
Packing Group	III
EmS No.	F-E, S-D
Marine Pollutant	Bifenthrin
Description	UN3351, Pyrethroid pesticide, liquid, toxic, flammable (Bifenthrin, aromatic hydrocarbons), 6.1 (3), PG III (42°C c.c.)

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Bifenthrin - 82657-04-3	82657-04-3	25.1	1.0
Pseudocumene - 95-63-6	95-63-6	<20	1.0
Xylenes - 1330-20-7	1330-20-7	<1	1.0
Cumene - 98-82-8	98-82-8	<1	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Xylenes 1330-20-7	100 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Xylenes 1330-20-7	100 lb 45.4 kg	
n-Butanol 71-36-3	5000 lb 2270 kg	
Cumene 98-82-8	5000 lb 2270 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning

*May be fatal if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation.
This pesticide is extremely toxic to fish and aquatic invertebrates.*

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Cumene - 98-82-8	Carcinogen

U.S. State Right-to-Know Regulations

CAPTURE® 2 EC INSECTICIDE/MITICIDE

SDS #: 6196-A
Revision date: 2020-05-05
Version 1.07

Chemical name	New Jersey	Massachusetts	Pennsylvania
Bifenthrin 82657-04-3	X		
Pseudocumene 95-63-6	X	X	X
Petroleum distillates, solvent dewaxed light paraffinic 64742-56-9		X	
Xylenes 1330-20-7	X	X	X
Cumene 98-82-8	X	X	X
Propylene glycol 57-55-6	X		X

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Naphtha (petroleum), heavy aromatic 64742-94-5	X	X	X		X	X	X	X
Bifenthrin 82657-04-3				X	X	X		
Pseudocumene 95-63-6	X	X	X	X	X	X	X	X
Petroleum distillates, solvent dewaxed light paraffinic 64742-56-9	X	X	X		X	X	X	X
Xylenes 1330-20-7	X	X	X	X	X	X	X	X
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	X	X	X		X	X	X	X
Cumene 98-82-8	X	X	X	X	X	X	X	X
Propylene glycol 57-55-6	X	X	X	X	X	X	X	X

CANADA

This Safety Data Sheet is for a pesticide product registered by the Pest Management Regulatory Agency (PMRA), and is therefore also subject to certain requirements under Canadian pesticide laws, including the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required by the Hazardous Product Regulations (HPR) and WHMIS 2015 for safety data sheets, and for workplace labels of non-pesticide chemicals. The following information is determined by PMRA.

The approved pest control product label (the label), under the Pest Control Products Act, needs to be followed at all times and in cases where there are any discrepancies between the approved label and an SDS for that product it is the label information that prevails.

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 2	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 2	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2020-05-05
Reason for revision: SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By: FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2020 FMC Corporation. All Rights Reserved.
End of Safety Data Sheet