

APROVIA

Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 07/28/2023 S00051866953

SECTION 1. IDENTIFICATION

Product name : APROVIA Design code : A15457R

Product Registration number : 31981

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.

Address : 140 Research Lane, Research Park

Guelph ON N1G 4Z3

Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)

Telefax : 1-519-823-0504

E-mail address

Emergency telephone num-

ber

1-800-327-8633 (FAST MED)

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : H227 Combustible liquid.

H302 + H332 Harmful if swallowed or if inhaled.

H318 Causes serious eye damage.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P261 Avoid breathing mist or vapours.



APROVIA

Version Revision Date: SDS Number: This version replaces all previous versions. S00051866953

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
benzovindiflupyr (ISO)	benzovindiflupyr (ISO)	1072957-71-1	9.6339
methyl 5- (dimethylamino)-2- methyl-5-oxo- pentanoate	methyl 5- (dimethyla- mino)-2-methyl- 5-oxo- pentanoate	1174627-68-9	>= 5 - < 10 *
oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3- tetramethyl-1- [(trimethylsilyl)oxy]-1- disiloxanyl]propyl] ether	oxirane, 2- methyl-, poly- mer with oxirane, mono[3-[1,3,3,3- tetramethyl-1- [(trimethylsi- lyl)oxy]-1- disiloxa- nyl]propyl] ether	134180-76-0	>= 1 - < 5 *
propane-1,2-diol	propane-1,2-diol	57-55-6	>= 1 - < 5 *

Actual concentration or concentration range is withheld as a trade secret



APROVIA

Version **Revision Date:** 1.0 07/28/2023

SDS Number: S00051866953 This version replaces all previous versions.

SECTION 4. FIRST AID MEASURES

General advice Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respira-

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact Take off all contaminated clothing immediately.

> Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and

delayed

Nonspecific

No symptoms known or expected.

Notes to physician There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

Unsuitable extinguishing

media

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread fire.

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Flash back possible over considerable distance.

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing ap-

paratus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

Refer to protective measures listed in sections 7 and 8.

Keep people away from and upwind of spill/leak.



APROVIA

This version replaces all previous versions. Version **Revision Date:** SDS Number: 1.0 07/28/2023 S00051866953

gency procedures Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Remove all sources of ignition. Pay attention to flashback.

Environmental precautions Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, ver-

miculite) and place in container for disposal according to local

/ national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with skin and eyes.

When using do not eat, drink or smoke.

Use only in an area containing flame proof equipment. Take precautionary measures against static discharges.

For personal protection see section 8.

Keep containers tightly closed in a dry, cool and well-Conditions for safe storage

ventilated place.

Keep out of the reach of children. Keep away from combustible material. Keep in an area equipped with sprinklers.

Keep away from food, drink and animal feedingstuffs.

No smoking.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
benzovindiflupyr (ISO)	1072957-71- 1	TWA	1 mg/m3	Syngenta
propane-1,2-diol	57-55-6	TWA (Va- pour and aerosols)	50 ppm 155 mg/m3	CA ON OEL
		TWA (aero-sol)	10 mg/m3	CA ON OEL

Engineering measures THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

> CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.



APROVIA

Version 1.0 Revision Date: 07/28/2023

SDS Number: S00051866953

This version replaces all previous versions.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the

actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene ad-

vice.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Suitable respiratory equipment: Respirator with a half face mask

The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection

Remarks : No special protective equipment required.

Eye protection : Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Face-shield

Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : amber

Odour : No data available

Odour Threshold : No data available

pH : 5.6

Concentration: 1 %w/v

Melting point/range : No data available

Boiling point/boiling range : No data available



APROVIA

Version 1.0 Revision Date: 07/28/2023

SDS Number: S00051866953

This version replaces all previous versions.

Flash point : 91 °C

Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.02 - 1.06 g/cm3 (20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : 385 °C

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- :

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed. Incompatible materials : None known.

Hererdene decembraities

Hazardous decomposition

products

: No hazardous decomposition products are known.



APROVIA

Version Revision Date: 1.0 07/28/2023

SDS Number: S00051866953

This version replaces all previous versions.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): > 2.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

benzovindiflupyr (ISO):

Acute oral toxicity : LD50 (Rat, female): 55 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.56 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): 1.08 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Based on data from similar materials



APROVIA

Version **Revision Date:** SDS Number: This version replaces all previous versions. 07/28/2023 S00051866953 1.0

Skin corrosion/irritation

Product:

Species Rabbit

Result No skin irritation

Components:

benzovindiflupyr (ISO):

Species Rabbit

Result No skin irritation

oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:

Species Rabbit

Result No skin irritation

Serious eye damage/eye irritation

Product:

Species

Result Risk of serious damage to eyes.

Components:

benzovindiflupyr (ISO):

Species Rabbit

Result No eye irritation

methyl 5-(dimethylamino)-2-methyl-5-oxo-pentanoate:

Species Rabbit Result Eye irritation

oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:

Species Rabbit Result Eye irritation

Remarks Based on data from similar materials

Respiratory or skin sensitisation

Product:

Test Type Local lymph node assay (LLNA)

Species Mouse

Result Does not cause skin sensitisation.

Components:

benzovindiflupyr (ISO):

Test Type mouse lymphoma cells



APROVIA

Version **Revision Date:** SDS Number: This version replaces all previous versions. S00051866953 1.0 07/28/2023

Species : Mouse

Result Did not cause sensitisation on laboratory animals.

oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:

Species Guinea pig

Result Not a skin sensitizer.

Remarks Based on data from similar materials

Germ cell mutagenicity

Components:

benzovindiflupyr (ISO):

Germ cell mutagenicity -Animal testing did not show any mutagenic effects.

Assessment

methyl 5-(dimethylamino)-2-methyl-5-oxo-pentanoate:

Germ cell mutagenicity -Animal testing did not show any mutagenic effects., In vitro

Assessment tests did not show mutagenic effects

oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:

Germ cell mutagenicity -Animal testing did not show any mutagenic effects. Assessment Remarks: Based on data from similar materials

Carcinogenicity

Components:

benzovindiflupyr (ISO):

Carcinogenicity - Assess-

cinogen, This substance has been reported to cause tumours ment

in certain animal species., There is no evidence that these

Weight of evidence does not support classification as a car-

findings are relevant to humans.

Reproductive toxicity

Components:

benzovindiflupyr (ISO):

Reproductive toxicity - As-No toxicity to reproduction

sessment

methyl 5-(dimethylamino)-2-methyl-5-oxo-pentanoate:

Reproductive toxicity - As-No toxicity to reproduction

sessment

STOT - single exposure

Components:

benzovindiflupyr (ISO):

Assessment The substance or mixture is not classified as specific target



APROVIA

Version 1.0 Revision Date: 07/28/2023

SDS Number: S00051866953

This version replaces all previous versions.

organ toxicant, single exposure.

STOT - repeated exposure

Components:

benzovindiflupyr (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Remarks : Based on data from similar materials

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

benzovindiflupyr (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0091 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 0.0035 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Americamysis): 0.056 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

0.89 mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.42 mg/l

End point: Growth rate Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.55 mg/l

Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.4 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.00095

mg/l

Exposure time: 32 d Test Type: Early-life Stage



APROVIA

Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 07/28/2023 S00051866953

Toxicity to daphnia and other : aquatic invertebrates (Chron-

NOEC (Americamysis): 0.0074 mg/l

Exposure time: 28 d

ic toxicity)

EC10 (Daphnia magna (Water flea)): 0.012 mg/l

Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 15 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 34.9 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 152.2 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Persistence and degradability

Components:

benzovindiflupyr (ISO):

Biodegradability : Result: Not readily biodegradable.

oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

benzovindiflupyr (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.3 (25 °C)

Mobility in soil

Components:

benzovindiflupyr (ISO):

Distribution among environmental compartments

Remarks: Slightly mobile in soils

Other adverse effects

Components:

benzovindiflupyr (ISO):



APROVIA

Version Revision Date: 1.0 07/28/2023

SDS Number: S00051866953

This version replaces all previous versions.

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

methyl 5-(dimethylamino)-2-methyl-5-oxo-pentanoate:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Refer to the product label for specific disposal/recycling infor-

mation

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

tion.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Refer to the product label for specific disposal/recycling infor-

mation

Empty remaining contents. Triple rinse containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BENZOVINDIFLUPYR)

Class : 9
Packing group : III
Labels : 9

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(BENZOVINDIFLUPYR)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964



APROVIA

Version **Revision Date:** SDS Number: This version replaces all previous versions. 1.0 07/28/2023 S00051866953

aircraft)

Packing instruction (passen-964

ger aircraft)

Environmentally hazardous yes

Remarks

This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG-Code

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BENZOVINDIFLUPYR)

Class 9 Packing group Ш Labels 9 F-A, S-F **EmS Code** Marine pollutant

ves

Remarks This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(BENZOVINDIFLUPYR)

Class 9 Packing group Ш Labels 9 **ERG Code** 171

Marine pollutant yes(BENZOVINDIFLUPYR)

Class 9 Exemption from Part 3, Documentation, and Part 4, Remarks

Dangerous Goods Safety Marks, if transported solely on land

by road vehicle or railway vehicle.

1.45.1. SOR/2008-34

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.



APROVIA

Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 07/28/2023 S00051866953

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Danger

Skull and crossbones

poison

Corrosive to eyes and skin

Canadian PBT Chemicals : This product contains the following components on the DSL

that are classified as Persistent, Bioaccumulative and/or Toxic

(PBT) under CEPA:

octamethylcyclotetrasiloxane [D4]

NPRI Components : xylene

The components of this product are reported in the following inventories:

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

benzovindiflupyr (ISO)

oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

Syngenta : Syngenta Occupational Exposure Limit CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect



APROVIA

Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 07/28/2023 S00051866953

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 07/28/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN