

ORONDIS GOLD

Version	Revision Date:
1.1	09/21/2021

SECTION 1. IDENTIFICATION

Product name	:	ORONDIS GOLD

Design code	: A2255	6A
-------------	---------	----

Product Registration number : 33508

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier Address	:	Syngenta Canada Inc. 140 Research Lane, Research Park Guelph ON N1G 4Z3 Canada	
Telephone Telefax	:	1-87-SYNGENTA (1-877-964-3682) 1-519-823-0504	
E-mail address	:		
Emergency telephone num- ber	:	1-800-327-8633 (FAST MED)	
Recommended use of the chemical and restrictions on use			

Recommended use : Fungicide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in acco	ance with th	e Hazardous Products Regulations
Serious eye damage	: Category	1
Skin sensitisation	: Category	⁷ 1
GHS label elements		
Hazard pictograms		
Signal word	: Danger	
Hazard statements		y cause an allergic skin reaction. uses serious eye damage.
Precautionary statements	P272 Co the work	bid breathing mist or vapours. ntaminated work clothing should not be allowed out of



Version	Revision Date:
1.1	09/21/2021

SDS Number: S00053056117 This version replaces all previous versions.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Methyl 5- (dimethylamino) 2- methyl-oxopentanoate	Methyl 5- (dimethylamino) 2-methyl- oxopentanoate	1174627-68-9	>= 60 - < 80 *
metalaxyl-M (ISO)	metalaxyl-M (ISO)	70630-17-0	9.887
oxathiapiprolin (ISO)	oxathiapiprolin (ISO)	1003318-67-9	3.2957

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
If inhaled	Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respira-
	tion. Keep patient warm and at rest.
In case of skin contact	Call a physician or poison control centre immediately. Take off all contaminated clothing immediately.
In case of skin contact	Wash off immediately with plenty of water.
	If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	Rinse immediately with plenty of water, also under the eyelids,



Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.1	09/21/2021	S00053056117	

		for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	:	Nonspecific No symptoms known or expected.
Notes to physician	:	There is no specific antidote available. Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire- fighting	:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod- ucts of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for firefighters	:	Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Refer to protective measures listed in sections 7 and 8.	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.	
Methods and materials for containment and cleaning up	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.	



Version 1.1 Revision Date: 09/21/2021

SDS Number: S00053056117 This version replaces all previous versions.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.
Conditions for safe storage	 No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
metalaxyl-M (ISO)	70630-17-0	TWA	5 mg/m3	Syngenta
oxathiapiprolin (ISO)	1003318-67- 9	TWA	5 mg/m3	Supplier
Engineering measures :	 THE FOLLOWING RECOMMENDATIONS FOR EXPOSUR CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL. Containment and/or segregation is the most reliable technic protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene ad vice. 		ENDED CIAL NS e technical ed. on the	
Personal protective equipmen	t			
Respiratory protection :	quired. When workers	are facing cond	ctive equipment norm centrations above the e certified respirators	exposure
Hand protection				-
Remarks :	does not only features and i Please observ	depend on its m s different from o e the instruction	hoice of an appropria laterial but also on ot one producer to the o as regarding permeab provided by the suppl	her quality hther. bility and



URUN	DIS GOLD		
Version 1.1	Revision Date: 09/21/2021	SDS Number: S00053056117	This version replaces all previous versions.
Eye pr	otection	tions under whi cuts, abrasion, depends amon and the type of each case. Glo is any indicatio : Always wear e	ke into consideration the specific local condi- ich the product is used, such as the danger of and the contact time. The break through time gst other things on the material, the thickness glove and therefore has to be measured for wes should be discarded and replaced if there n of degradation or chemical breakthrough. ye protection when the potential for inadvertent h the product cannot be excluded. afety goggles
Skin and body protection Protective measures		tration and and cific work-place Remove and w Wear as appro Impervious clot : The use of tech over the use of	ash contaminated clothing before re-use. priate:

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	clear
Colour	:	amber
Odour	:	pungent
Odour Threshold	:	No data available
рН	:	2 - 6 Concentration: 1 % w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available



Version 1.1	Revision Date: 09/21/2021	SDS Number: S00053056117	This version replaces all previous versions.	

Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.04 - 1.08 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	420 °C
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	None reasonably foreseeable. Stable under normal conditions. No dangerous reaction known under conditions of normal use.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	No decomposition if used as directed. None known. No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity

: LD50 (Rat, female): > 2,000 mg/kg Assessment: The component/mixture is minimally toxic after single ingestion.



rsion	Revision Date:	SDS Number: This version replaces all previous vers
	09/21/2021	S00053056117
Acute	inhalation toxicity	 LC50 (Rat, male and female): > 5.03 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhation toxicity
Acute	dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg
Comp	onents:	
metal	axyl-M (ISO):	
Acute	oral toxicity	: LD50 (Rat, female): 375 mg/kg
Acute	inhalation toxicity	 LC50 (Rat, male and female): > 2.29 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inha tion toxicity Remarks: Highest attainable concentration
Acute	dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute derr toxicity
oxath	iapiprolin (ISO):	
Acute	oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute	inhalation toxicity	 LC50 (Rat, male and female): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhation toxicity
Acute	dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg
Skin d	corrosion/irritation	
<u>Produ</u>	ict:	
Specie Result		: Rabbit : No skin irritation
<u>Comp</u>	oonents:	
metal	axyl-M (ISO):	
Specie Result		: Rabbit : No skin irritation
oxath	iapiprolin (ISO):	
Specie	es	: Rabbit



	Revision Date: 09/21/2021		0S Number: T 0053056117	his version replaces all previous versio
Resul	t	:	No skin irritation	
Serio	us eye damage/eye i	irritati	on	
<u>Produ</u>	uct:			
Speci		:	Rabbit	
Resul	t		Risk of serious dama	age to eyes.
<u>Com</u>	<u>oonents:</u>			
Methy	yl 5-(dimethylamino)	2-me	thyl-oxopentanoate:	
Speci		:	Rabbit	
Resul	t	:	Eye irritation	
	axyl-M (ISO):			
Speci Resul		:	Rabbit Rick of sorious dom:	
Resul	l l	•	Risk of serious dama	age to eyes.
	iapiprolin (ISO):			
Speci		:	Rabbit	
Resul	L		No eye irritation	
Resp	iratory or skin sensi	tisatio	'n	
<u>Produ</u>				
Test T Speci		:	Local lymph node as Mouse	ssay (LLNA)
Resul		:	May cause sensitisa	tion by skin contact.
-				
	<u>oonents:</u>			
	axyl-M (ISO):		.	
Speci Resul		:	Guinea pig Did not cause sensit	isation on laboratory animals.
Resul	·	•	Did not cause sensit	isation on laboratory animals.
	· · · · · · · · · · · · (100)			
	iapiprolin (ISO):			
Speci	es	:	Guinea pig	inction on loboratory onimals
	es	:		isation on laboratory animals.
Speci Resul	es	:		isation on laboratory animals.
Speci Resul Germ	es t	:		isation on laboratory animals.
Speci Resul Germ <u>Comp</u>	es t cell mutagenicity	2-me	Did not cause sensit	·

metalaxyl-M (ISO):



OF	KUNI	DIS GOLD		
Vers 1.1	sion	Revision Date: 09/21/2021		DS Number: This version replaces all previous versions. 00053056117
	Germ o Assess	cell mutagenicity -	:	Animal testing did not show any mutagenic effects.
	oxathi	apiprolin (ISO):		
	Germ o Assess	cell mutagenicity - sment	:	Animal testing did not show any mutagenic effects., In vitro tests did not show mutagenic effects
	Carcin	ogenicity		
	Comp	onents:		
		x yl-M (ISO): ogenicity - Assess-	:	No evidence of carcinogenicity in animal studies.
		apiprolin (ISO): ogenicity - Assess-	:	No evidence of carcinogenicity in animal studies.
	Repro	ductive toxicity		
	Comp	onents:		
	-	I 5-(dimethylamino) 2 - ductive toxicity - As- ent		
		u xyl-M (ISO): ductive toxicity - As- ent	:	No toxicity to reproduction
		apiprolin (ISO): Juctive toxicity - As- ent	:	No toxicity to reproduction
	STOT	- single exposure		
	<u>Comp</u>	onents:		
	oxathi Assess	apiprolin (ISO): sment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
	STOT	- repeated exposure		
	Comp	onents:		
	metala	xyl-M (ISO):		
	Assess	sment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
	oxathi	apiprolin (ISO):		
	Assess	sment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.



Version 1.1 Revision Date: 09/21/2021

SDS Number: S00053056117 This version replaces all previous versions.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
<u>Product:</u> Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 371.9 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): 91.9 mg/l End point: Growth rate Exposure time: 96 h
		EC10 (Raphidocelis subcapitata (freshwater green alga)): 54.3 mg/l End point: Growth rate Exposure time: 96 h
Components:		
metalaxyl-M (ISO):		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
		LC50 (Cyprinus carpio (Carp)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 271 mg/l Exposure time: 96 h
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 19.7 mg/l End point: Growth rate Exposure time: 96 h
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chron-	:	NOEC (Daphnia magna (Water flea)): 25 mg/l Exposure time: 21 d
ic toxicity) Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h



ORONDIS GOLD						
Vers 1.1		Revision Date: 09/21/2021		OS Number: 00053056117	This version replaces all previous versions.	
		apiprolin (ISO): / to fish	:	LC50 (Cyprinodo mg/l Exposure time: 96	n variegatus (sheepshead minnow)): > 0.65 S h	
	Toxicity to algae/aquatic plants		:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 0.142 mg/l Exposure time: 72 h		
	Toxicity to fish (Chronic tox- icity) Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.46 mg/l Exposure time: 88 d		
			:	NOEC (Daphnia magna (Water flea)): 0.75 mg/l Exposure time: 21 d NOEC (Americamysis): 0.058 mg/l Exposure time: 32 d		
	Ecotoxicology Assessment Acute aquatic toxicity Persistence and degradabil		:	This product has	no known ecotoxicological effects.	
			ity			
	-	onents:				
		xyl-M (ISO): radability	:	Result: Not readil	y biodegradable.	
	Stability	y in water	:	Degradation half Remarks: Produc		
		apiprolin (ISO): radability	:	Result: Not readil	y biodegradable.	
	Bioaco	cumulative potential				
	Compo	onents:				
		xyl-M (ISO): umulation	:	Remarks: Low bio	paccumulation potential.	
	Partitio octanol	n coefficient: n- I/water	:	log Pow: 1.71 (25	°C)	
		apiprolin (ISO): umulation	:	Remarks: Does n	ot bioaccumulate.	



OF	ORONDIS GOLD					
Vers 1.1	sion	Revision Date: 09/21/2021		DS Number: 00053056117	This version replaces all previous versions.	
		00/21/2021	00			
	Mobili	ty in soil				
	<u>Comp</u>	onents:				
	metala	axyl-M (ISO):				
	Distribution among environ- mental compartments		:	Remarks: Metalaxyl has a range from low to very high mob in soil depending on soil type.		
	Stability in soil		:	Dissipation time: < 50 d Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.		
	oxathiapiprolin (ISO): Distribution among environ- : mental compartments Other adverse effects					
			:	Remarks: Low me	obility in soil.	
Components:						
Methyl 5-(dimethylamino) 2-methyl-oxopentanoate:		te:				
	Result assess	s of PBT and vPvB sment	:	lating and toxic (F	not considered to be persistent, bioaccumu- PBT). This substance is not considered to be nd very bioaccumulating (vPvB).	
	metala	axyl-M (ISO):				
		s of PBT and vPvB	:	lating and toxic (F	not considered to be persistent, bioaccumu- PBT). This substance is not considered to be nd very bioaccumulating (vPvB).	
	oxathi	iapiprolin (ISO):				
	Result assess	s of PBT and vPvB sment	:	lating and toxic (F	not considered to be persistent, bioaccumu- PBT). This substance is not considered to be nd very bioaccumulating (vPvB).	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	Refer to the product label for specific disposal/recycling infor- mation Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Do not dispose of waste into sewer.	
	Where possible recycling is preferred to disposal or incinera- tion. If recycling is not practicable, dispose of in compliance with local regulations.	
Contaminated packaging	 Refer to the product label for specific disposal/recycling information Empty remaining contents. Triple rinse containers. 	



Version	Revision Date:
1.1	09/21/2021

SDS Number: S00053056117 This version replaces all previous versions.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations	
UNRTDG UN number Proper shipping name	: UN 3082 : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OXATHIAPIPROLIN)
Class Packing group Labels	: 9 : III : 9
IATA-DGR UN/ID No. Proper shipping name Class	 UN 3082 Environmentally hazardous substance, liquid, n.o.s. (OXATHIAPIPROLIN) 9
Packing group Labels Packing instruction (cargo aircraft)	- 9 : III : Miscellaneous : 964
Packing instruction (passen- ger aircraft) Environmentally hazardous	: 964 : yes
IMDG-Code UN number Proper shipping name	 : UN 3082 : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OXATHIAPIPROLIN)
Class Packing group Labels EmS Code Marine pollutant	(oranna a noolan) 9 1 III 2 9 2 F-A, S-F 2 yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OXATHIAPIPROLIN)
Class Packing group Labels	::	9 III 9



Version R 1.1 09

Revision Date: 09/21/2021

SDS Number: S00053056117 This version replaces all previous versions.

ERG Code Marine pollutant	•	171 yes(OXATHIAPIPROLIN)
Remarks	:	Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle. 1.45.1. SOR/2008-34

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

Danger

Eye irritant Potential skin sensitiser

The components of this product are reported in the following inventories:

:

DSL

This product contains the following components that are not on the Canadian DSL nor NDSL. oxathiapiprolin (ISO)

metalaxyl-M (ISO)

Siloxanes and Silicones, di-Me, polymers with silica-1,1,1trimethyl-N-(trimethylsilyl)silanamine hydrolysis products and trimethylsilyl silicate

2-propenoic acid, 2-methyl-, polymer with methyl 2-methyl-2propenoate, ester with alpha-methyl-omega-hydroxypoly(oxy-1,2-ethanediyl

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -



Version	Revision Date:
1.1	09/21/2021

SDS Number: S00053056117

This version replaces all previous versions.

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	09/21/2021
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN