

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

SECTION 1. IDENTIFICATION

Product identifier

Product name BELEAF® 50 SG INSECTICIDE

Other means of identification

Product code 50000163

Product Registration Number PCP #29796

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet**Manufacturer**

FMC of Canada Ltd
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2A

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version 1.11 Revision Date: 10/13/2023 SDS Number: 50000163 Date of last issue: 10/25/2018
Date of first issue: 10/25/2018

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

Precautionary Statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.
Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
flonicamid (ISO)	flonicamid (ISO)	158062-67-0	50
Sodium alkyl naphthalene sulfonate	Sodium alkyl naphthalene sulfonate	68425-94-5	$\geq 1 - < 5$

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.

In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version 1.11	Revision Date: 10/13/2023	SDS Number: 50000163	Date of last issue: 10/25/2018 Date of first issue: 10/25/2018
-----------------	------------------------------	-------------------------	---

Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

Hazardous combustion products : Thermal decomposition can lead to release of toxic and irritating vapors.

Specific extinguishing methods : Use a water spray to cool fully closed containers.
Remove undamaged containers from fire area if it is safe to do so.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Use personal protective equipment.
Evacuate personnel to safe areas.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Pick up and transfer to properly labeled containers without creating dust.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Particulates type

Hand protection
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

Skin and body protection	: Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product.
Hygiene measures	: Do not breathe dust. Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Form	: granules
Color	: brown
Odor	: ammoniacal
Odor Threshold	: No data available
pH	: 8.3 (22 °C)
Melting point/range	: 157.5 °C
Boiling point/boiling range	: No data available
Flash point	: > 300 °C
Evaporation rate	: Not applicable
Flammability (solid, gas)	: The product is not flammable.
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	0.543 g/cm ³
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	insoluble Solvent: Methanol
		insoluble Solvent: hexane
Partition coefficient: n-octanol/water	:	log Pow: 0.3 (29.8 °C)
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Surface tension	:	Not applicable
Molecular weight	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Dust may form explosive mixture in air. No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid dust formation.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.

BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The component/mixture is minimally toxic after single ingestion.
Acute inhalation toxicity	:	LC50 (Rat): > 5.36 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The component/mixture is minimally toxic after short term inhalation.
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The component/mixture is minimally toxic after single contact with skin.

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Result	:	slight or no skin irritation.
Remarks	:	May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species	:	Rabbit
Result	:	Eye irritation
Assessment	:	Irritating to eyes.

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro	:	Test Type: Ames test Result: negative
	:	Test Type: Micronucleus test Result: negative

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assessment	:	A slight increased incidence in tumors was observed in one species, but not in other species
------------------------------	---	--

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility	:	Species: Rat, female Result: equivocal
----------------------	---	---

STOT-single exposure

Not classified based on available information.

Product:

Target Organs	:	Respiratory organs
---------------	---	--------------------

STOT-repeated exposure

Not classified based on available information.

Components:

flonicamid (ISO):

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	---	--

Repeated dose toxicity

Components:

flonicamid (ISO):

Species	:	Mouse, male
NOAEL	:	15.3 mg/kg bw/day
LOAEL	:	153.9 mg/kg bw/day
Application Route	:	Oral

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

Exposure time : 90 day
Method : OECD Test Guideline 408
Target Organs : Liver
Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male
NOAEL : 60 mg/kg bw/day
LOAEL : 119.4 mg/kg bw/day
Application Route : Oral
Exposure time : 90 day
Method : OPPTS 870.3100
Target Organs : Kidney
Remarks : Based on available data, the classification criteria are not met.

Species : Dog, male and female
NOAEL : 20 mg/kg bw/day
Application Route : Oral
Exposure time : 90 day
Method : OECD Test Guideline 409

Aspiration toxicity

Not classified based on available information.

Neurological effects

Components:

flonicamid (ISO):

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 141.6 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 126.13 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 194.13
plants mg/l
Exposure time: 72 h

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

Toxicity to soil dwelling organisms : (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): 0.04487 mg/kg
Exposure time: 24 h

LD50 (Apis mellifera (bees)): 0.03186 mg/kg
Exposure time: 48 h

LD50 (Coturnix japonica (Japanese quail)): 1,055.9 mg/kg

Components:

flonicamid (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 120 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (algae): > 119 mg/l
End point: Growth inhibition
Exposure time: 96 h

EC50 (Lemna sp.): > 119 mg/l
Exposure time: 7 d
Test Type: static test

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 10 mg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 3.1 mg/l
Exposure time: 21 d

Toxicity to soil dwelling organisms : LC50 (worms): > 1,000 mg/kg

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg

LC50 (Colinus virginianus (Bobwhite quail)): > 5,000 mg/kg
Remarks: Dietary

LC50 (Anas platyrhynchos (Mallard duck)): > 5,000 mg/kg

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): 1,591 - 2,621 mg/kg

Sodium alkyl naphthalene sulfonate:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

Persistence and degradability

Components:

flonicamid (ISO):

Biodegradability : Result: Readily biodegradable.

Stability in water : Remarks: resistant to hydrolysis

Sodium alkyl naphthalene sulfonate:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

Components:

flonicamid (ISO):

Partition coefficient: n-octanol/water : log Pow: 0.3

Mobility in soil

Components:

flonicamid (ISO):

Distribution among environmental compartments : Remarks: Mobile in soils

Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

Not regulated as a dangerous good

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. flonicamid (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

SAFETY DATA SHEET



BELEAF® 50 SG INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 10/25/2018
1.11	10/13/2023	50000163	Date of first issue: 10/25/2018

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet