

## SECTION 1: Identification

### 1.1. Identification

Product form : Mixture  
Trade name : SYLLIT® 400 FL  
Other means of identification : PMRA # 28351

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Fungicide  
Restrictions on use : No additional information available

### 1.3. Details of the supplier of the safety data sheet

Arysta LifeScience Canada, Inc.  
400 Michener Road, Unit 2  
Guelph, Ontario N1K 1E4 - Canada  
T 1-866-761-9397  
[sds@arysta.com](mailto:sds@arysta.com)

### 1.4. Emergency telephone number

Emergency number : FOR 24-HOUR MEDICAL EMERGENCY ASSISTANCE CALL PROPHARMA: 1-866-303-6952  
or +1-651-603-3432  
FOR 24-HOUR CHEMICAL EMERGENCY (Spill, leaks, fire, exposure or accident) call  
CHEMTREC: 1-800-424-9300 or +1-703-527-3887

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GHS-US classification

Acute Tox. 4 (Inhalation:dust,mist) H332  
Skin Irrit. 2 H315  
Eye Dam. 1 H318  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410

Full text of hazard classes and H-statements : see section 16

### 2.2. Label elements

#### GHS-US labelling

Hazard pictograms (GHS-US) :



GHS05



GHS07



GHS09

Signal word (GHS-US) :

: Danger

Hazard statements (GHS-US) :

: H315 - Causes skin irritation.  
H318 - Causes serious eye damage.  
H332 - Harmful if inhaled.  
H400 - Very toxic to aquatic life.  
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (GHS-US) :

: P261 - Avoid breathing mist, spray, vapours.  
P264 - Wash hands thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.  
P280 - Wear eye protection, protective clothing, protective gloves.  
P302+P352 - If on skin: Wash with plenty of water  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a doctor  
P312 - Call a doctor if you feel unwell  
P321 - Specific treatment (see First aid measures on this label)

# SYLLIT® 400 FL

## Safety Data Sheet

Canada HPR

P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P391 - Collect spillage.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	% (w/w)	GHS-US classification
Dodine	(CAS-No.) 2439-10-3	35 - 45	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Artificial respiration and/or oxygen if necessary. Call a POISON CENTER/doctor.
First-aid measures after skin contact	: Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Call a physician immediately. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation. Sore throat. Chest pain. Harmful if inhaled.
Symptoms/effects after skin contact	: Causes skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include pain, blinking, tears and redness.
Symptoms/effects after ingestion	: May be harmful if swallowed. Abdominal cramps. Nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Probable mucosal damage may contraindicate the usage of gastric lavage.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry chemical. Foam. Water spray.
------------------------------	--

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Burning produces irritating, toxic and noxious fumes.
Explosion hazard	: Product is not explosive.
Reactivity	: No dangerous reactions known.

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Wear fire/flammable resistant/retardant clothing. Wear a self contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid contact with skin, eyes and clothing. Do not breathe aerosol.
------------------	---

# SYLLIT® 400 FL

## Safety Data Sheet

Canada HPR

### 6.1.1. For non-emergency personnel

- Protective equipment : Refer to section 8.2.  
Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

- Protective equipment : Refer to section 8.2.  
Emergency procedures : Ventilate area. Stop leak if safe to do so.

### 6.2. Environmental precautions

Notify authorities if liquid enters sewers or public waters. Prevent entry to sewers and public waters. Do not allow large quantities, as are, to spread into the environment. Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.  
Methods for cleaning up : Absorb and/or contain spill with inert material, then place in suitable container. Clean contaminated surfaces with an excess of water.

### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid breathing mist, spray, vapours. Do not get in eyes, on skin, or on clothing.  
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety procedures. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container tightly closed. Store in correctly labelled containers.  
Incompatible products : Alkali. Strong acids.  
Prohibitions on mixed storage : Incompatible materials.  
Storage area : Store in dry, cool, well-ventilated area.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

SYLLIT® 400 FL	
ACGIH	Not applicable
OSHA	Not applicable
Dodine (2439-10-3)	
ACGIH	Not applicable
OSHA	Not applicable

### 8.2. Exposure controls

- Appropriate engineering controls : Avoid splashing. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Emergency safety showers should be available in the immediate vicinity of any potential exposure. Use only in well ventilated areas.
- Personal protective equipment : Avoid all unnecessary exposure.
- Hand protection : Wear suitable gloves resistant to chemical penetration. Wear water impervious gloves. ( $\geq$  14 mils). Butyl rubber gloves. Nitrile rubber gloves. neoprene gloves. PVC. Viton.
- Eye protection : Chemical goggles or safety glasses. Face shield.
- Skin and body protection : Long sleeved protective clothing.
- Respiratory protection : In case of inadequate ventilation wear respiratory protection.

# SYLLIT® 400 FL

## Safety Data Sheet

Canada HPR

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: white
Odour	: Negligible.
Odour threshold	: No data available
pH	: 5.8
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: 1.01
Relative vapour density at 20 °C	: No data available
Solubility	: No data available
Log Pow	: 0.96 @ 20 °C
Log Kow	: No data available
Auto-ignition temperature	: 430 °C
Decomposition temperature	: No data available
Viscosity	: 800 cP
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

#### 10.5. Incompatible materials

Alkali. Strong acids.

#### 10.6. Hazardous decomposition products

Burning produces irritating, toxic and noxious fumes. Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Likely routes of exposure	: Ingestion; Skin and eye contact
Acute toxicity	: Not classified

SYLLIT® 400 FL	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (dust,mist)	1.136 mg/l/4h

# SYLLIT® 400 FL

## Safety Data Sheet

Canada HPR

Dodine (2439-10-3)	
LD50 oral rat	660 mg/kg
LD50 dermal rat	> 5000 mg/kg
LD50 dermal rabbit	2100 mg/kg
LC50 inhalation rat (mg/l)	0.45 mg/l/4h
ATE US (oral)	660 mg/kg bodyweight
ATE US (dermal)	2100 mg/kg bodyweight
ATE US (vapours)	0.45 mg/l/4h
ATE US (dust,mist)	0.45 mg/l/4h

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: May cause respiratory irritation. Sore throat. Chest pain. Harmful if inhaled.
Symptoms/effects after skin contact	: Causes skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include pain, blinking, tears and redness.
Symptoms/effects after ingestion	: May be harmful if swallowed. Abdominal cramps. Nausea.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water	: Very toxic to aquatic life with long lasting effects.
-----------------	---

Dodine (2439-10-3)	
LC50 fish 1	1.5 mg/l 96 h
EC50 Daphnia 1	0.146 mg/l 48 h

### 12.2. Persistence and degradability

SYLLIT® 400 FL	
Persistence and degradability	May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

SYLLIT® 400 FL	
Log Pow	0.96 @ 20 °C
Bioaccumulative potential	Not established.

Dodine (2439-10-3)	
Log Pow	0.96 @ 20 °C / pH 7

### 12.4. Mobility in soil

SYLLIT® 400 FL	
Ecology - soil	No additional information available.

### 12.5. Other adverse effects

Other information	: No additional information available.
-------------------	--

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Do not allow into drains or water courses.

# SYLLIT® 400 FL

## Safety Data Sheet

Canada HPR

Ecology - waste materials : Avoid release to the environment.


### SECTION 14: Transport information

#### Transportation of Dangerous Goods

Transport document description : UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dodine), 9, III  
UN-No. (TDG) : UN3082  
Proper Shipping Name (Transportation of Dangerous Goods) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
TDG Primary Hazard Classes : 9 - Class 9 - Miscellaneous Products, Substances or Organisms  
Packing group : III - Minor Danger  
TDG Special Provisions : Small Means of Containment (< = 450 kg or L) Not Regulated; Large means of containment (> 450 kg or L) Regulated as stated

#### Transport by sea

##### IMDG

Transport hazard class(es) (IMDG) : 9  
:  


Marine pollutant : Yes  
UN-No. (IMDG) : 3082  
Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dodine), 9, III, MARINE POLLUTANT  
Class (IMDG) : 9 - Miscellaneous dangerous substances and articles  
Packing group (IMDG) : III - substances presenting low danger  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-F

#### Air transport

##### IATA

Transport hazard class(es) (IATA) : 9  
:  


Marine pollutant : Yes  
UN-No. (IATA) : 3082  
Transport document description (IATA) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dodine), 9, III  
Class (IATA) : 9 - Miscellaneous Dangerous Goods  
Packing group (IATA) : III - Minor Danger

### SECTION 15: Regulatory information

#### CANADA

##### Dodine (2439-10-3)

Listed on the Canadian DSL (Domestic Substances List) inventory.

# SYLLIT® 400 FL

## Safety Data Sheet

Canada HPR

### SECTION 16: Other information

Data sources : ACGIH (American Conference of Government Industrial Hygienists). European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. Manufacturer Information. TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard.

Other information : None.

Full text of H-statements:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.


Abbreviations and acronyms:

	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	OSHA: Occupational Safety & Health Administration
	STEL: Short Term Exposure Limits
	TSCA: Toxic Substances Control Act
	TWA: Time Weighted Average

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



SDS Prepared by: The Redstone Group, LLC.  
6077 Frantz Rd  
Suite 206  
Dublin, Ohio, USA 43016  
614.923.7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*