

Safety Data Sheet

Pristine WG Fungicide

Revision date : 2025/02/10

Version: 8.0

Page: 1/13

(30276867/SDS_CPA_CA/EN)

1. Identification

Product identifier used on the label

Pristine WG Fungicide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, fungicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Molecular formula:	C ₁₈ H ₁₂ Cl ₂ N ₂ O ; C ₁₉ H ₁₈ Cl N ₃ O ₄
Chemical family:	crop protection product, fungicide, water dispersible granules
27985	
Synonyms:	pyraclostrobin + boscalid

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Eye Irrit.	2B	Eye irritation

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 2/13
(30276867/SDS_CPA_CA/EN)

Repr.	2 (unborn child)	Reproductive toxicity
STOT RE	2	Specific target organ toxicity — repeated exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic
Combustible Dust	Combustible Dust (1)	Combustible Dust

Label elements

Pictogram:



Signal Word:
Warning

Hazard Statement:

	May form combustible dust concentration in air.
H320	Causes eye irritation.
H302	Harmful if swallowed.
H361	Suspected of damaging the unborn child.
H373	May cause damage to organs (Liver, Gastrointestinal tract, Nasal cavity) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing and eye protection or face protection.
P260	Do not breathe dust.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical attention.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.
P337 + P313	If eye irritation persists: Get medical attention.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

Hazards not otherwise classified

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 3/13
(30276867/SDS_CPA_CA/EN)

Labeling of special preparations (GHS):

The following percentage of the mixture consists of component(s) with unknown hazards regarding the acute toxicity: 43 - 50 %

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

CAS Number: 188425-85-6

Content (W/W): 25.2 %

Synonym: 3-pyridinecarboxamide,2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)

pyraclostrobin

CAS Number: 175013-18-0

Content (W/W): 12.78 %

Synonym: Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester

Silicon dioxide

CAS Number: 7631-86-9

Content (W/W): ≥ 10.0 - $< 15.0\%$

Synonym: No data available.

Kaolin

CAS Number: 1332-58-7

Content (W/W): ≥ 1.0 - $< 3.0\%$

Synonym: No data available.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. If not breathing, give artificial respiration.

If on skin:

Remove contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Seek medical attention.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. Seek medical attention.

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 4/13
(30276867/SDS_CPA_CA/EN)

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, Hydrogen chloride, carbon dioxide, nitrogen oxides, sulfur oxides, organochloric compounds, silica compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 5/13
(30276867/SDS_CPA_CA/EN)

Avoid raising dust. Sweep/shovel up. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Kaolin	ACGIH, US:	TWA value 2 mg/m3 Respirable fraction ; The value is for particulate matter containing no asbestos and <1% crystalline silica.
	OSHA Z1:	PEL 5 mg/m3 Respirable fraction ;
	OSHA Z1:	PEL 15 mg/m3 Total dust ;
Pyraclostrobin	TWA value	0.13 mg/m3 ;
Boscalid	TWA value	0.248 mg/m3 ;

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 6/13
(30276867/SDS_CPA_CA/EN)

Silicon dioxide	ACGIH, US:	TWA value 10 mg/m3 Inhalable particles ;
	ACGIH, US:	TWA value 3 mg/m3 Respirable particles ;
	OSHA Z3:	TWA value 15 mg/m3 Total dust ;
	OSHA Z3:	TWA value 5 mg/m3 Respirable fraction ;
	OSHA Z3:	TWA value 50 millions of particles per cubic foot of air Total dust ;
	OSHA Z3:	TWA value 15 millions of particles per cubic foot of air Respirable fraction ;
	OSHA Z3:	TWA value 0.8 mg/m3 ; The exposure limit is calculated from the equation, $80\text{mg/m}^3 / (\% \text{SiO}_2)$, using a value of 100% SiO ₂ . Lower percentages of SiO ₂ will yield higher exposure limits.
	OSHA Z3:	TWA value 20 millions of particles per cubic foot of air ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear a NIOSH approved (or equivalent) particulate respirator if ventilation is inadequate to control dust.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	granules, extrudates
Odour:	moderate odour, smoky
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	brown

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 7/13
(30276867/SDS_CPA_CA/EN)

pH value:	approx. 6 - 8 (1 %(m), 20 °C) (as suspension)	
Melting point:	approx. 56 °C	
Boiling point:	The product has not been tested.	
Flash point:	not applicable, the product is a solid	
Flammability:	not highly flammable	(Directive 84/449/EEC, A.10)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
SADT:	> 75 °C Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)	
Vapour pressure:	not applicable	
Density:	approx. 1.51 g/cm3 (20 °C)	(OECD Guideline 109)
Bulk density:	600 kg/m3 689 kg/m3 Apparent density after tamping	
Vapour density:	not applicable	
Self-ignition temperature:	328 °C	(Directive 92/69/EEC, A.16)
Thermal decomposition:	150 °C, 350 kJ/kg (DSC (OECD 113)) No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	not applicable, the product is a solid	
Particle size:	D10 0.7 µm D50 2.7 µm D90 9.7 µm	
Solubility in water:	dispersible	
Evaporation rate:	not applicable	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Directive 92/69/EEC, A.17)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 8/13
(30276867/SDS_CPA_CA/EN)

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

150 °C, 2 K/min (DSC (OECD 113))

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat

Value: approx. 1,490 mg/kg

Inhalation

Type of value: LC50

Species: rat

Value: > 5.4 mg/l

Exposure time: 4 h

No mortality was observed.

Dermal

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

No mortality was observed.

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 9/13
(30276867/SDS_CPA_CA/EN)

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. May cause slight irritation to the eyes. Not irritating to the skin.

Eye

Species: rabbit

Result: Slightly irritating.

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test

Species: guinea pig

Result: Non-sensitizing.

Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs. Target organs: Liver, gastrointestinal tract and nasal cavity

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

Assessment of carcinogenicity: In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 10/13
(30276867/SDS_CPA_CA/EN)

Teratogenicity

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to fish. Very toxic (acute effect) to aquatic invertebrates. Acutely toxic for aquatic plants.

Toxicity to fish

LC50 (96 h) 0.042 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203)

Aquatic invertebrates

EC50 (48 h) 0.08 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

Aquatic plants

ErC50 (72 h) 4.99 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

EC10 (72 h) 1.29 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

Chronic toxicity to fish

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

*No observed effect concentration (97 d) 0.116 mg/l, *Oncorhynchus mykiss**

Information on: pyraclostrobin

*No observed effect concentration (98 d) approx. 0.00235 mg/l, *Oncorhynchus mykiss* (OECD Guideline 210, Flow through.)*

Chronic toxicity to aquatic invertebrates

Information on: pyraclostrobin

*No observed effect concentration (21 d) 0.004 mg/l, *Daphnia magna* (OECD Guideline 202, part 2, semistatic)*

The details of the toxic effect relate to the nominal concentration.

*No observed effect concentration (31 d) 0.000365 mg/l, *Mysidopsis bahia**

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 11/13
(30276867/SDS_CPA_CA/EN)

Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

Not readily biodegradable (by OECD criteria).

Information on: pyraclostrobin

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Bioaccumulation potential

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

*Bioconcentration factor: 57 - 70 (28 d), Oncorhynchus mykiss
Does not accumulate in organisms.*

Information on: pyraclostrobin

*Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD Guideline 305)
Accumulation in organisms is not to be expected.*

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: pyraclostrobin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 12/13
(30276867/SDS_CPA_CA/EN)

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Container disposal:

Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

14. Transport Information

Land transport

TDG

Hazard class:	9
Packing group:	III
ID number:	UN 3077
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Sea transport

IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3077
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains BOSCALID, PYRACLOSTROBIN)

Air transport

IATA/ICAO

Hazard class:	9
Packing group:	III
ID number:	UN 3077
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains BOSCALID, PYRACLOSTROBIN)

Further information

Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

15. Regulatory Information

Federal Regulations**Registration status:**

Crop Protection DSL, CA released / listed

Safety Data Sheet

Pristine WG Fungicide

Revision date: 2025/02/10
Version: 8.0

Page: 13/13
(30276867/SDS_CPA_CA/EN)

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

WARNING:

Contains the allergen sulfite(s).

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED.

DO NOT take internally.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

If clothing becomes contaminated, remove immediately and wash separately from household laundry before reuse.

Clean spray equipment thoroughly after use.

DO NOT contaminate domestic or irrigation water, lakes, streams or ponds by the cleaning of equipment or the disposal of wastes.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2025/02/10

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET